

Goldstone Resources Inc. Announces Further Encouraging Key Lake Drilling Results

29.06.2011 | [Marketwired](#)

Highlights: Near Surface Grading 1.36 g/t Au Over 42 m; Visible Gold as High as 148 g/t (4.76 Oz/t) Over 0.30 m

TORONTO, ONTARIO -- ([Marketwire](#) - June 29, 2011) - [Goldstone Resources Inc.](#) (TSX: GRC) (PINK SHEETS: GRSZF) today announced additional results from the ongoing 2011 drilling program at its Key Lake property, bordering on the Company's Hardrock Project joint venture with [Premier Gold Mines Limited](#) (TSX: PG) (PINK SHEETS: PIRGF) near Geraldton, Ontario. The program is focused primarily on obtaining sufficient drilling information to support a NI 43-101 compliant mineral resource estimate and on establishing the viability of an open pit mining operation. Most holes were completed to a depth of approximately 200 metres, with the exception of two drilled to more than 400 m. All encountered gold mineralization.

To date in the 2011 Key Lake drilling program, 58 holes have been completed for a total of 13,200 metres along a distance in excess of 1,200 metres. Complete assay results have been received for 11 holes in addition to the 27 holes previously announced on May 30, 2011. Several holes drilled in the western part of the deposit encountered visible gold, including hole KL-11-109 which intersected 148.0 g/t Au over 0.30 metre; hole KL-11-91 (38.60 g/t over 0.30 m); as well as holes such as KL-11-87 (126.0 g/t over 1.0 m) and hole KL-11-108 (229.0 g/t over 0.50 metres). Complete results for these holes have not yet been received, and will be published as soon as they are available. The current program is capitalizing on the success of a 12,000-meter drilling program in 2010 which outlined significant gold mineralization, including 3.17 g/t over 44 metres and 2.28 g/t over 42.7 metres.

Current drilling is part of a planned 30,000-metre program for this property. Overall, Goldstone's exploration budget for the year is approximately \$6.5 million, covering approximately 50,000 metres of drilling at Key Lake and in the Beardmore camp where a third drill rig is currently at work on the Leitch-Sand River property.

Additional 2011 significant results for Key Lake received to date are as follows:

Hole No.	UTM N	UTM E	Azi	Dip	From (m)	To (m)	Interval (m)	Au (g/t)
KL-11-89	5506400	492095	197	-48	125.00	130.00	5.00	2.31
					143.45	145.50	2.05	1.89
					157.00	162.00	5.00	2.12
					179.00	184.25	5.25	2.39
			includes		183.25	183.75	0.50	16.10
KL-11-91	5506394	492072	197	-61	135.75	138.00	2.25	1.24
					156.90	163.10	6.20	3.29
					162.10	162.40	0.30	38.60
					198.00	210.00	12.00	0.83
KL-11-96	5506491	491986	197	-62	130.00	133.00	3.00	2.17
					197.00	213.00	16.00	1.15
					223.00	230.00	7.00	1.48
					244.00	247.00	3.00	2.40

					251.00	257.00	6.00	0.96
KL-11-97	5506479	492620	197	-48	110.50	114.80	4.30	2.26
					138.00	147.00	9.00	0.98
KL-11-98	5506479	491960	197	-60	125.00	130.00	5.00	5.94
				includes	126.00	127.00	1.00	16.60
					145.00	188.00	42.00	1.36
KL-11-103	5506134	491834	7	-47	247.50	248.45	1.40	1.76
					254.00	256.00	2.00	3.12
					276.00	278.70	2.70	1.24
					368.00	370.00	2.00	1.21
					385.00	387.00	2.00	1.05
					400.40	402.00	1.60	2.00
KL-11-105	5506497	491886	197	-54	56.40	58.50	2.10	1.56
					106.00	110.00	4.00	2.78
					121.50	124.50	3.00	4.46
				includes	123.50	124.50	1.00	7.75
					147.00	153.00	6.00	2.37
KL-11-109	5506524	491868	197	-47	116.00	146.80	30.80	1.41
					154.00	164.00	10.00	0.89
					170.60	170.90	0.30	8.63
					190.00	195.00	5.00	1.19
KL-11-112	5506537	491845	197	-47	69.40	72.50	3.10	22.01
				includes	69.97	70.27	0.30	148.00
					124.00	134.00	10.00	2.13
					150.90	151.85	0.95	4.41
					162.00	166.00	4.00	1.26
					196.50	201.00	4.50	0.80
KL-11-113	5506537	491845	197	-59	158.00	160.00	2.00	1.83
					186.10	188.45	2.35	2.21
					222.00	223.40	1.40	5.08
				includes	223.00	223.40	0.40	14.00
KL-11-128	5506179	492054	7	-48	93.80	95.30	3.89	1.50
					150.45	152.30	1.85	1.74
					159.90	162.00	2.10	1.23

	200.00	201.00	1.00	4.96
--	--------	--------	------	------

**True width of the zone is between approximately 20 to 85% of drilled interval.
** Holes not drilled in sequence, ***Samples are typically 1 m lengths of NQ core*

Tracy Armstrong, P.Geo. is the Qualified Person for the technical information contained in this news release and is a Qualified Person within the meaning of National Instrument 43-101.

"We continue to be encouraged by the assay results at Key Lake which, hole-by-hole, are contributing to what we believe will be a very significant resource." said Philip Cunningham, Goldstone Chairman and Interim Chief Executive Officer. "In addition to the current infill drilling, we look forward to testing new anomalies identified by our IP program earlier this year."

About Key Lake

The Key Lake property hosts the former Jelix Mine which had historical production of 5,675 oz of recovered gold. The Key Lake deposit is hosted in altered greywackes, with a higher grade core comprised of quartz-feldspar porphyry, with alteration, quartz veining, and disseminated arsenopyrite and pyrite. The deposit dips sub-vertically, and is currently defined in multiple mineralized envelopes along a strike in excess of 2.5 km. While visible gold is a frequent occurrence, the majority of mineralization is disseminated.

By the end of 2010, over 200 holes had been drilled over a 3 km long north-northwest trending zone to a depth of about 200 m with horizontal spacing of 25-50 m in the eastern two-thirds and spacing of 25-100 m in the western third.

On-site Quality Assurance/Quality Control Measures

All samples were shipped to Activation Laboratories ("Actlabs") for analysis. Actlabs has laboratories internationally, and its Quality System is accredited to international quality standards. Samples were shipped to the Actlabs' facility in Geraldton, Ontario for preparation. Pulps were forwarded from the Geraldton lab to the Thunder Bay lab, where analyses were performed using fire assay with Atomic Absorption (AA) finish. Samples yielding in excess of 3.0 g/t Au were reanalyzed using fire assay with a gravimetric finish. Samples with visible gold were analyzed using the metallic screen method, which separates out the coarse and fine fractions, and weighs and analyzes them separately before recombining for a weighted average gold grade.

All core samples were selected by the Goldstone site geologist, and were cut in half by diamond core saw. Individual samples were labeled, placed in plastic sample bags and sealed. Groups of samples were then placed into durable rice bags that were secured for shipping.

Independent Quality Assurance and Quality Control Protocol

A QA/QC program was implemented in 2010, and continues to monitor all assays from the current drilling program. Samples are assembled in numbered batches. Included in each batch of 38 are 32 core samples, two certified reference standards, one coarse reject and one pulp duplicate, one blank sample comprised of silica sand and one core duplicate sample. This QC program was set up for Goldstone by Tracy Armstrong, P. Geo, of T.J. Armstrong Geological Consulting Inc. Ms. Armstrong is a qualified geologist in the Provinces of Ontario, Quebec and British Columbia.

About Goldstone

Goldstone Resources Inc. is a gold exploration and development company operating in the historically significant Geraldton-Beardmore camp of Northwestern Ontario. On June 21, 2011, Goldstone and Premier Gold jointly announced that they have entered into a definitive agreement whereby Premier will acquire, by way of a plan of arrangement, all of the outstanding common shares of Goldstone.

Goldstone is focusing on gold exploration and deposit delineation at its Key Lake, Brookbank, Northern Empire and Leitch-Sand River gold properties, and as a partner in the Hardrock Project joint venture with Premier Gold. Goldstone's 100%-owned NI 43-101 compliant resources in the Beardmore area total more than 800,000 ounces. In April 2011, Premier announced an updated NI 43-101 resource estimate for the Hardrock Project in the Geraldton area of 3.6 million ounces of gold of which Goldstone has a 30% interest, or more than 1 million ounces. The camp is host to several mines which historically produced more than 4.1 million ounces of gold from high grade ore—before being shut down primarily as a result of a \$35 gold price—and to Goldstone's fully permitted, expandable 200-TPD Northern Empire mill.

Further information is available on the Company's website at www.goldstoneresourcesinc.com and on SEDAR under the Company's profile at www.sedar.com.

Forward-Looking Statements

This news release may contain forward-looking information under applicable securities laws concerning Goldstone's business, operations, financial performance, condition and prospects, as well as management's objectives, strategies, beliefs and intentions. Forward looking information is frequently identified by such words as "may", "will", "plan", "expect", "anticipate", "intend" and similar words referring to future events and results. This forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause actual results to differ materially from those implied by the forward-looking information. Factors that may cause actual results to vary materially include, but are not limited to, inaccurate assumptions concerning the exploration for and development of mineral deposits, delay or inability to retain a senior exploration and/or operating officer or to obtain additional financing, unanticipated operational or technical difficulties, changes in laws or regulations, the risks of obtaining necessary licenses and permits, changes in general economic conditions and changes in conditions in the financial markets. Readers are cautioned not to place undue reliance on this forward-looking information as actual results may differ materially from those expressed or implied in the forward looking information. Goldstone does not assume the obligation to revise or update this forward-looking information after the date of this release or to revise such information to reflect the occurrence of future unanticipated events, except as may be required under applicable securities laws.

Neither Toronto Stock Exchange nor its Regulation Services Provider accepts responsibility for the adequacy or accuracy of this release.

Contact Information

Goldstone Resources Inc.
Philip Cunningham
Chairman and Interim CEO
(416) 860-1636
www.goldstoneresourcesinc.com

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/106796--Goldstone-Resources-Inc.-Announces-Further-Encouraging-Key-Lake-Drilling-Results.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).