# Almaden Infill Drilling on Main Zone, Hits 17.75 Meters of 2.62 g/t Au, 91.1 g/t Ag (4.4 g/t Aueq) at Ixtaca, Mexico

16.12.2013 | Marketwired

VANCOUVER, BRITISH COLUMBIA--(Marketwired - Dec 16, 2013) - <u>Almaden Minerals Ltd.</u> ("Almaden" or "the Company") (TSX:AMM)(NYSE MKT:AAU) is pleased to announce the results from Almaden's ongoing 2013 Ixtaca Zone drill program at the Company's 100% owned Tuligtic project, Mexico. The infill program has been designed to upgrade resources currently in the inferred category to the higher confidence measured and indicated categories. The holes announced today show the continuity and high grades of the Main and Northern zones defined with previous drilling. Highlights from the holes released today include the following intercepts (a more complete list of intercepts is shown in the table below):

```
Hole TU-13-375 NORTHERN ZONE SECTION 10+700 NORTH, 330 Az, -60 dip
38.70 meters @ 1.58 g/t gold and 36.6 g/t silver (2.3 g/t gold equivalent)
28.69 meters @ 0.54 g/t gold and 61.0 g/t silver (1.8 g/t gold equivalent)
42.00 meters @ 0.30 g/t gold and 40.1 g/t silver (1.1 g/t gold equivalent)
                10.58 meters @ 0.81 g/t gold and 109.8 g/t silver (3.0 g/t gold equivalent)
Hole TU-13-376 MAIN ZONE SECTION 10+625 NORTH, 330 Az, -68 dip
45.39 meters @ 0.58 g/t gold and 14.6 g/t silver (0.9 g/t gold equivalent)
17.75 meters @ 1.22 g/t gold and 67.9 g/t silver (2.6 g/t gold equivalent)
28.70 meters @ 1.37 g/t gold and 81.7 g/t silver (3.0 g/t gold equivalent)
                11.50 meters @ 2.45 g/t gold and 185.5 g/t silver (6.2 g/t gold equivalent)
Hole TU-13-379 NORTHERN ZONE SECTION 10+700 NORTH, 330 Az, -35 dip
7.80 meters @ 2.06 g/t gold and 110.0 g/t silver (4.3 g/t gold equivalent)
Hole TU-13-387 MAIN ZONE SECTION 10+450 NORTH, 150 Az, -67 dip
103.00 meters @ 0.97 g/t gold and 40.3 g/t silver (1.8 g/t gold equivalent)
 Including
                17.75 meters @ 2.62 g/t gold and 91.1 g/t silver (4.4 g/t gold equivalent)
Hole TU-13-392 MAIN ZONE SECTION 10+450 NORTH, 150 Az, -40 dip
121.32 meters @ 0.47 g/t gold and 49.8 g/t silver (1.5 g/t gold equivalent)
                15.85 meters @ 1.02 g/t gold and 110.7 g/t silver (3.2 g/t gold equivalent)
 Including
```

J.D. Poliquin, chairman of Almaden stated, "Today's holes once again show the continuity of this part of the Main Zone and highlights the high grades that core it. The infill drilling program underway was designed to upgrade the confidence of our resource base. It also provides an opportunity to remind our shareholders that the Ixtaca zone of veining is cored by several well defined and intensely mineralised high grade gold silver zones that have good continuity along strike."

Below is a plan map and relevant sections which will be posted to the Company's website ( www.almadenminerals.com).

http://media3.marketwire.com/docs/AMM1216.pdf

# About the Ixtaca Drilling Program and the Ixtaca Project

The 100% owned Ixtaca zone is a blind discovery made by the Company in 2010 on claims staked by the Company. On January 31, 2013 the Company announced a maiden resource on the Ixtaca Zone. Since that time drilling has been focused on expanding and infilling the known resource base for a PEA. This program was extended in 2013 in order to report a more robust resource for a PEA to follow. The Company has selected Moose Mountain Technical Services to lead a PEA on the Ixtaca deposit. Knight Piesold Ltd. will provide certain engineering and environmental design inputs for the PEA and have been retained to help the Company with long lead item studies concerning environmental monitoring, assessment and permitting matters. Apart from drilling, work underway currently includes additional metallurgical studies, environmental

28.04.2025 Seite 1/4

baseline monitoring such as flora and fauna studies, climate monitoring, water quality sampling and surface water hydrology monitoring, a geochemistry program, and scoping level engineering studies. Once the results from this year's drill program have been received in early 2014, a new geologic model and resource will be reported. This anticipated updated resource will form the basis of a PEA to follow. In 2014 the Company anticipates redirecting drilling efforts to the exploration of high priority epithermal targets outside of the Ixtaca zone but within the project boundaries.

	Гиона	Т.	leten sel			AE.«	Λ « <b>Γ</b> «	
Hole #	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	AgEq (g/t)	SECTION
TU-13-375	35.50	74.20	38.70	1.58	36.6	2.3	115	
including	41.00	63.00	22.00		36.3	2.7	136	
including	52.00	54.50		2.62	31.7	3.3	163	
including	58.00	62.50		4.64	82.8	6.3	315	
including	67.60	73.00	5.40	_	67.8	3.2	159	
TU-13-375	117.00		28.69		61.0	1.8	88	
including	117.00	119.50		0.66	70.8	2.1	104	10700E
including	125.00	127.00		2.17		10.1	504	.0.002
including	132.50	138.00		1.02	83.8	2.7	135	
TU-13-375		200.00	42.00		40.1	1.1	55	
including	159.50	170.08	10.58		-	3.0	150	
TU-13-375	228.00	244.50	16.50		54.8	1.8	91	
including		229.00		8.69		25.3	1265	
TU-13-376	157.65	168.00	10.35		3.0	0.3	16	
TU-13-376		223.89	45.39	_	14.6	0.9	44	
including	192.00	207.50	15.50		21.4	1.4	70	
TU-13-376		276.50	3.75		52.7	1.4	70	
TU-13-376	311.00	359.25	48.25		15.4	0.5	26	
including	342.50	345.25	2.75	1.13	73.6	2.6	130	10625E
TU-13-376	381.50	399.25	17.75	1.22	67.9	2.6	129	100201
including	381.50	388.40	6.90		127.4	5.1	255	
TU-13-376		436.95	28.70		81.7	3.0	150	
including		421.30	11.50	_	185.5	6.2	308	
TU-13-376		447.45		0.54	4.7	0.6	32	
		79.50			11.0	0.3	16	
TU-13-379 TU-13-379	78.00	150.50	63.50	0.10	27.2	0.9	46	
including	87.00 116.20	124.00		2.06		4.3	213	10700E
	116.20	120.50		3.28	138.9	6.1	303	10700L
including including	147.50	150.50		0.72	98.6	2.7	135	
TU-13-387	27.50			0.72	25.7		31	-
TU-13-387	38.25	30.50	31.75		34.5	1.1	54	
including	46.00	70.00 51.50	5.50	1.56	125.7	4.1	204	
	83.50							
TU-13-387		101.00	17.50		32.6	0.9	47	10450E
including TU-13-387	85.00 116.00	92.50	7.50	0.49	60.2	1.7	85	10450E
including		219.00 126.00			40.3		89 766	
					558.5			
including		134.00		5.37	-	8.4	422	
including	148.00	165.75	17.75	_	91.1	4.4	222	
including		204.65	10.80		34.5	1.6	81	
TU-13-392	30.48	151.80	121.32		49.8	1.5	73	
including	33.15	40.00		0.54	56.1	1.7	83	
including	47.00	76.00	29.00		64.4	1.9	95	
including	53.00	56.50		1.46		4.4	220	
including	68.50	75.50		0.93		3.0	150	104505
including	84.00	87.50		0.88	68.3	2.2	112	10450E
including		118.50	15.85			3.2	162	
including	102.65			1.33		4.7	236	
including	115.60				163.8	4.9	247	
including	130.50				144.3	4.1	204	
TU-13-392	168.50		12.00		45.1	1.2	59	
including	175.50	178.10	2.60	0.64	149.3	3.6	181	

The Ixtaca deposit and any potential mining operation would be located in an area previously logged or

28.04.2025 Seite 2/4

cleared with negligible to no current land usage. The Company currently employs roughly 70 people in its drilling program who live local to the Ixtaca deposit. Local employees make up virtually all the drilling staff, who have been trained on the job to operate the Company's wholly owned drills. The Company has implemented a comprehensive science based and objective community relations and education program for employees and all local stakeholders to transparently explain the exploration program underway as well as the potential impacts and benefits of any possible future mining operation at Ixtaca. The Company regards the local inhabitants to be major stakeholders in the Ixtaca deposit's future along with the Company's shareholders. Every effort is being made to create an open and clear dialogue with our stakeholders to ensure that any possible development scenarios that could evolve from the anticipated PEA are properly understood and communicated throughout the course of the Company's exploration and development program. The Company invites all interested parties to visit <a href="https://www.almadenminerals.com">www.almadenminerals.com</a> to find out more about our community development, education and outreach programs.

## **Technical Details of the Ixtaca Drilling Program**

The Main Ixtaca and Ixtaca North Zones of veining are interpreted to have a north-easterly trend. Holes to date suggest that the Main Ixtaca and Ixtaca North Zones are sub vertical with local variations. This interpretation suggests that true widths range from approximately 35% of intersected widths for a -70 degree hole to 94% of intersected widths for a -20 degree hole. The drilling completed to date has traced mineralisation over 1,000 meters along this northeast trend. The Chemalaco (Northeast Extension) Zone strikes roughly north-south (340 azimuth) and dips at 55 degrees to the west. This interpretation suggests that true widths range from approximately 82% of intersected widths for a -70 degree hole to 99% of intersected widths for a -40 degree hole.

Mr. Norm Dircks, P.Geo., a qualified person ("QP") under the meaning of NI 43-101, is the QP and project manager of Almaden's Ixtaca program and reviewed the technical information in this news release. The analyses reported were carried out at ALS Chemex Laboratories of North Vancouver using industry standard analytical techniques. For gold, samples are first analysed by fire assay and atomic absorption spectroscopy ("AAS"). Samples that return values greater than 10 g/t gold using this technique are then re-analysed by fire assay but with a gravimetric finish. Silver is first analysed by Inductively Coupled Plasma - Atomic Emission Spectroscopy ("ICP-AES"). Samples that return values greater than 100 g/t silver by ICP-AES are then re analysed by HF-HNO<sub>3</sub>-HCLO<sub>4</sub> digestion with HCL leach and ICP-AES finish. Of these samples those that return silver values greater than 1,500 g/t are further analysed by fire assay with a gravimetric finish.

Blanks, field duplicates and certified standards were inserted into the sample stream as part of Almaden's quality assurance and control program which complies with National Instrument 43-101 requirements. Gold equivalent ("AuEq" or "Gold Eq.") and silver equivalent ("AgEq" or "Silver Eq.") values were calculated using silver to gold ratios of 50 to 1. The ratio of 50 to 1 was used for the sake of consistency with past news releases. Intervals that returned assays below detection were assigned zero values. Metallurgical recoveries and net smelter returns are assumed to be 100% for these calculations.

## **About Almaden**

Almaden is a well-financed mineral exploration company working in North America. The company has assembled mineral exploration projects, including the Ixtaca Zone and the Tuligtic project, through its grass roots exploration efforts. While the properties are largely at early stages of development they represent exciting opportunities for the discovery of significant gold, silver and copper deposits as evidenced at Ixtaca. Almaden's business model is to find and acquire mineral properties and develop them by seeking option agreements with others who can acquire an interest in a project by making payments and exploration expenditures. Through this means the company has been able to expose its shareholders to discovery and capital gain without the funding and consequent share dilution that would be required if the company were to have developed these projects without a partner. The company intends to expand this business model, described by some as prospect generation, by more aggressively exploring several of its projects including the Ixtaca Zone.

On Behalf of the Board of Directors

Morgan J. Poliquin, Ph.D., P.Eng., President, CEO and Director

Almaden Minerals Ltd.

28.04.2025 Seite 3/4

Neither the Toronto Stock Exchange (TSX) nor the NYSE MKT have reviewed or accepted responsibility for the adequacy or accuracy of the contents of this news release which has been prepared by management. Except for the statements of historical fact contained herein, certain information presented constitutes "forward-looking statements" within the meaning of the United States Private Securities Litigation Reform Act of 1995 and Canadian securities laws. Such forward-looking statements, including but not limited to, those with respect to potential expansion of mineralization, potential size of mineralized zone, and size and timing of exploration and development programs, estimated project capital and other project costs and the timing of submission and receipt and availability of regulatory approvals involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievement of Almaden to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements. Such factors include, among others, risks related to international operations and joint ventures, the actual results of current exploration activities, conclusions of economic evaluations, uncertainty in the estimation of mineral resources, changes in project parameters as plans continue to be refined, environmental risks and hazards, increased infrastructure and/or operating costs, labour and employment matters, and government regulation and permitting requirements as well as those factors discussed in the section entitled "Risk Factors" in Almaden's Annual Information form and Almaden's latest Form 20-F on file with the United States Securities and Exchange Commission in Washington, D.C. Although Almaden has attempted to identify important factors that could cause actual results to differ materially, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate as actual results and future events could differ materially from those anticipated in such statements. Almaden disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, other than as required pursuant to applicable securities laws. Accordingly, readers should not place undue reliance on forward-looking statements.

### Contact

Almaden Minerals Ltd.
Morgan J. Poliquin, Ph.D., P.Eng.
President, CEO and Director
604.689.7644
604.689.7645
www.almadenminerals.com

Dieser Artikel stammt von Rohstoff-Welt.de Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/162905--Almaden-Infill-Drilling-on-Main-Zone-Hits-17.75-Meters-of-2.62-g~t-Au-91.1-g~t-Ag-4.4-g~t-Aueq-at-Ixtaca-Mexico.

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere AGB und Datenschutzrichtlinen.

28.04.2025 Seite 4/4