

Radisson Intersects 6.9 g/t Gold over 7.1 m within wider intercept of 3.9 g/t Gold over 21.4 meters at O'Brien

09.01.2018 | [GlobeNewswire](https://www.globenewswire.com)

ROUYN-NORANDA, Quebec, Jan. 09, 2018 (GLOBE NEWSWIRE) -- Radisson Mining Resources Inc. ("Radisson" or the "Company") (TSX-V:RDS)(OTC:RMRDF)(FRANKFURT:2RX) is pleased to announce additional results from the 21,800 m drill program completed in 2017 at the O'Brien gold project located along the Cadillac Break halfway between Rouyn-Noranda and Val-d'Or in Quebec, Canada. As disclosed on multiple occasions in 2017 (See May 9th, June 20th, September 12th and November 8th press releases) the company continues to confirm the vertical and lateral continuity of high-grade gold intercepts within wider lower grade mineralized halo on the 36E zone of the O'Brien deposit.

Press release highlights:

- Hole OB-17-55 intersected 11.8 g/t Au over 2.4 m and 6.9 g/t Au over 7.1 m within 3.9 g/t Au over 21.4 m at depth of 261.6 m and 275.9 m respectively on the 36E zone. (See figure 1 and figure 2).
- Today's results are from 2,259 m of drilling (6 drill holes), assays are currently pending from approximately 2,834 m of drilling (11 drill holes).
- Resource growth potential highlighted by the 31,800 m of drilling completed on 36E, Kewagama and Vintage zone north of the O'Brien deposit since 2016.
- Resource estimate update underway at O'Brien. The company expects to publish results from the updated resource estimate during the first quarter of 2018.
- Historical drill core re-logging and assaying ongoing on 36E where 28 shallow historical drill holes were selected re-logged and sent for assaying.

"Current results continue to demonstrate strong mineralization continuity and resource growth potential on both 36E and Kewagama zones. The fact that we continue to encounter high-grade gold mineralization within wider lower-grade halo at various depths is encouraging. The re-log and assaying program of shallower historical drill holes represents a game changing opportunity for the expansion of the O'Brien deposit moving forward. We are also excited about the second phase exploration-drilling program well underway on the Vintage Zone. The drilling program should deliver more insight on the potential of the new zone identified a few meters north of the deposit in 2017," commented Mario Bouchard, President and CEO.

Historical drill core re-logging and assaying

In light of the wide zones of mineralization recently intersected on 36E area, the company is reviewing drill cores from an additional series of historical drill holes in the near-surface area of the 36E zone. After re-log, selected drill core were sent for assaying. Prior to 2016, most of these holes have incomplete assay within the Piche group sequence. Only highly mineralized zones were assayed without paying attention to a possible wider low-grade halo model.

Table 1 Drilling results summary at the O'Brien gold project

Hole	From (m)	To (m)	Length (m)	Grade Au	Interpreted zone
OB-17-55	261.6	283.0	21.4	3.9	Piche Conglomerate, QFP #2* VG
Including	261.6	264.0	2.4	11.8	Piche Conglomerate* VG
And	275.9	283.0	7.1	6.9	QFP #2

	275.9	276.3	0.4	21.4	QFP #2 *VG
<i>Which includes</i>	279.5	280.0	0.5	25.1	QFP #2 *VG
	282.0	283.0	1.0	23.5	QFP #2
OB-17-57	147.5	148.0	0.5	7.6	Pontiac sediments *VG
OB-17-57	165.6	166.0	0.4	12.5	Pontiac sediments* VG
OB-17-57	210.0	210.3	0.3	3.3	Pontiac sediments* VG
OB-17-58	248.3	251.3	3.0	4.1	Piche volcanics
OB-17-59	151.6	152.0	0.4	10.7	Piche volcanics
OB-17-59	252.0	253.0	1.0	4.9	Piche volcanics
OB-17-60	366.9	375.2	8.3	4.4	Piche volcanics
OB-17-61	424.6	426.4	1.8	6.2	Piche Conglomerate

*VG; Denotes presence of visible gold

Results are presented as down hole width; true widths are estimated between 55 to 70% of down-hole thickness.

All drill cores in this campaign are NQ in size. Assays were completed on sawn half-cores, with the second half kept for future reference. The samples were analyzed using standard fire assay procedures with Atomic Absorption (AA) finish at Swastika Laboratories Ltd, in Swastika, Ontario. Samples yielding a grade higher than 5 g/t were analyzed a second time by fire assay with gravimetric finish at the same laboratory. Samples containing visible gold were analyzed with metallic sieve procedure. Standard reference materials and blank samples were inserted prior to shipment for quality assurance and quality control (QA/QC) program.

Qualified Person

Tony Brisson, P. Geo, independent consultant, acts as a Qualified Person as defined in National Instrument 43-101 and has reviewed and approved the technical information in this press release.

About Radisson Mining Resources Inc.

Radisson is a Quebec-based mineral exploration company. The O'Brien project, cut by the regional Larder-Lake-Cadillac Fault, is Radisson's flagship asset. The project hosts the former O'Brien Mine, considered to have been the Abitibi Greenstone Belt's highest-grade gold producer during its production (1,197,147 metric tons at 15.25 g/t Au for 587,121 ounces of gold from 1926 to 1957; InnovExplo, April 2015).

For more information on Radisson, visit our website at www.radissonmining.com or contact:

Mario Bouchard
President and CEO
819-277-6578
mbouchard@radissonmining.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Forward-Looking Statements: This press release may contain certain forward-looking information. All statements included herein, including the scheduled Closing date, but other than statements of historical fact, is forward-looking information and such information involves various risks and uncertainties. There can be no assurance that such information will prove to be accurate, and actual results and future events could differ materially from those anticipated in such information. A description of assumptions used to develop such forward-looking information and a description of risk factors that may cause actual results to differ materially from forward looking information can be found in Radisson's disclosure documents on the SEDAR website at www.sedar.com.

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/287093--Radisson-Intersects-6.9-g-t-Gold-over-7.1-m-within-wider-intercept-of-3.9-g-t-Gold-over-21.4-meters-at-O'Brien.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).