

SSR Mining Provides November 2018 Exploration Update

07.11.2018 | [CNW](#)

VANCOUVER, Nov. 6, 2018 - [SSR Mining Inc.](#) (NASDAQ: SSRM) (TSX: SSRM) ("SSR Mining") provides an update on exploration activities and results at its Marigold mine in Nevada, U.S., and Seabee Gold Operation in Saskatchewan, Canada, for the period from August 1, 2017 to September 30, 2018 (the "Exploration Period").

Highlights:

At the Seabee Gold Operation, confirmation of a discovery at the Santoy Gap hanging wall ("HW") is expected to define Mineral Resources when we report our Mineral Resources and Mineral Reserves estimates for year-end 2018. Drill results at Santoy Gap HW include:

- Drillhole SUG-18-622 intersected 25.6 g/t gold over 4.1 meters true width; and
- Drillhole SUG-18-612 intersected 12.3 g/t gold over 4.8 meters true width

Also at the Seabee Gold Operation, infill drilling at Santoy 8A is expected to convert Inferred Mineral Resources to the Indicated Mineral Resources category when we report our Mineral Resources and Mineral Reserves estimates for year-end 2018. Drill results at Santoy 8A include:

- Drillhole SUG-18-941 intersected 11.2 g/t gold over 18.5 meters true width; and
- Drillhole SUG-18-943 intersected 14.1 g/t gold over 7.0 meters true width; and
- Drillhole SUG-18-913 intersected 12.2 g/t gold over 7.0 meters true width.

Infill drill results for the Red Dot area at the Marigold mine include:

- Drillhole MRA6626 intersected 3.4 g/t gold over 71.6 meters intersected width, including 8.9 g/t gold over 25.9 meters intersected width; and
- Drillhole MRA6647 intersected 1.2 g/t gold over 185.9 meters intersected width, including two higher grade intervals of 1.0 g/t gold over 6.1 meters, and 3.6 g/t gold over 32.0 meters.

Paul Benson, President and CEO said, "Our exploration investments at Seabee and Marigold continue to yield significant results. Importantly, results at Seabee continue to confirm the strong prospectivity and long-life nature of the Santoy mine. At Marigold, we are also encouraged by results from drilling at Red Dot and Mackay, as we look to continue our long-term track record of finding new zones of mineralization and growing reserves concurrent with the assessment of an expansion in mid-2019. Our exploration programs are a key driver of value and growth for our shareholders, and continue at full pace as we move into the end of the year."

Seabee Gold Operation, Canada

At the Seabee Gold Operation, total year to date diamond drilling includes 35,258 meters from underground in 104 holes and 15,390 meters from surface in 61 holes. Recent results increase confidence in the continuity of gold mineralization at Santoy Gap HW (see Figure 1). Drilling during the third quarter at Santoy Gap HW included results from 30 drill holes. These holes, along with other exploration results since September 2017, have provided clarity to the controlling structure along with continued high grade intercepts. These are found on the footwall side of an S-folded attenuated granodiorite intrusion that dips and plunges in a generally easterly manner to the Santoy Gap deposits. On the 46 level, as shown in Figures 2 and 3, this mineralized zone is located 100 meters below existing infrastructure, and can be accessed easily.

We expect this new discovery at Santoy Gap HW to contribute new, additional Mineral Resources when we report our Mineral Resources and Mineral Reserves estimates for year-end 2018.

At Santoy 8A we completed 72 holes in the Exploration Period towards converting Inferred Mineral Resources to Indicated Mineral Resources, and this work is on-going. Results to date have been positive and increase our confidence that the majority of the Santoy 8A area that we have drilled will be upgraded in classification providing additional Mineral Reserves at year-end 2018.

At the early-stage Fisher project our objective is to discover a new zone with Inferred Mineral Resource potential. Work in 2018 has comprised mapping, prospecting, soil and overburden sampling, and drilling of 18 holes for a total of 10,416 meters drilled.

Results from the prospecting and drilling have identified new gold bearing quartz vein shear zone exposures, while the drill results have yielded anomalous gold results. The widespread nature of the gold occurrences at Fisher and their general similarities to the Seabee and Santoy mines reinforces our view of prospectivity of this extensive property package. Drilling is presently underway on these new targets.

Marigold mine, U.S.

At the Marigold mine, total year to date drilling includes 72,017 meters primarily focused on Red Dot and Mackay with the intent to convert Mineral Resources to Mineral Reserves. During the third quarter at Red Dot and Mackay, we received results from holes that together with earlier drilling, increases our confidence that a portion of the Red Dot Inferred Mineral Resources were upgraded at year-end 2018 (see Figures 4, 5 and 6). If the current Inferred Mineral Resources upgrade work is successful, the upgraded Mineral Resources will be subject to additional geotechnical drilling and engineering during the first half of 2019 with the goal of declaring a Mineral Reserve at Red Dot and also an updated mine plan by mid-year 2019.

Table 1. Selected drillhole results from Seabee Gold Operation, Saskatchewan, Canada for the Exploration Period.

Hole ID	From (meters)	To (meters)	Mine E (midpoint) ¹	Mine N (midpoint) ¹	Elevation (midpoint) ¹	Gold (g/t) ²	True Width (meters)	Zone
JOY-17-770	418.9	421.5	4760.5	5043.3	-315.4	17.31	2.54	8A FW
JOY-17-771	411	417.9	4774.4	5047.5	-312.0	3.89	6.83	8A
JOY-18-772	258.7	261.7	3695.2	4779.1	-230.4	18.35	2.69	9A
JOY-18-793	237.6	247.2	3794.5	4739.9	-170.2	4.62	9.41	9A
JOY-18-794	254.3	256.6	3797.0	4774.8	-210.0	9.72	2.10	9A
JOY-18-799	245.8	250.9	3767.1	4758.8	-193.0	11.97	4.83	9A
JOY-18-801	163.0	167.5	3860.9	4764.9	-137.2	17.04	4.14	9B
JOY-18-807	90.7	94.3	3852.8	4708.3	-86.9	27.53	2.61	9C
JOY-18-810	64.8	68.1	3899.8	4687.0	-43.0	32.15	3.23	9C
JOY-18-831	260.6	272.0	4296.7	5223.5	-251.5	3.74	10.68	HW
SUG-17-046	188.4	191	3620.4	4982.4	-421.5	21.66	1.21	9C
SUG-17-048	185	196.6	3627.0	4969.4	-417.9	3.47	6.09	9A
SUG-17-049	142.9	148.4	3673.7	4992.2	-433.1	5.94	3.47	9C
SUG-17-050	144.7	148	3685.0	4989.7	-450.4	14.77	2.43	9B
SUG-17-052	229.1	231	3612.9	4921.1	-378.3	27.28	0.84	9A
SUG-17-058	215.0	218.1	3897.6	5094.1	-569.1	37.64	1.86	9A
SUG-17-600	312.1	323.6	4146.0	5240.7	-391.5	4.39	7.47	HW
SUG-17-614	325.9	331.6	3897.7	5265.3	-488.1	11.27	2.85	HW
SUG-17-923	468.4	473.3	4525.0	5325.2	-605.9	24.00	2.14	8A
SUG-17-926	713.8	720.0	4561.6	5442.1	-821.2	12.46	2.21	8A
SUG-18-605								

261.0

270.0

4227.0

5283.1

-322.0

HW

SUG-18-608178.1	185.0	4174.4	5224.1	-373.2	6.20	6.44	HW
SUG-18-609233.7	250.5	4186.8	5289.7	-377.5	3.73	12.92	HW
SUG-18-611202.5	208.7	4138.1	5259.4	-405.1	4.54	4.84	HW
SUG-18-612216.4	228.2	4103.8	5274.6	-447.8	12.32	4.82	HW
SUG-18-613218.7	227.7	4073.3	5265.3	-442.6	7.07	6.30	HW
SUG-18-622228.2	235.5	4094.9	5287.5	-445.2	25.60	4.10	HW
SUG-18-624187.0	191.0	4105.3	5238.0	-409.1	8.16	3.67	HW
SUG-18-625204.3	215.5	4072.8	5251.8	-432.2	7.82	8.14	HW
SUG-18-907158.8	162.3	4261.7	5130.7	-460.9	32.45	2.54	8A
SUG-18-908169.0	173.8	4286.6	5128.2	-452.3	14.87	3.44	8A
SUG-18-909177.9	183.1	4317.1	5134.8	-450.4	20.51	3.26	8A
SUG-18-910119.4	122.6	4256.7	5224.8	-552.1	13.80	3.02	8A
SUG-18-913117.5	124.6	4238.9	5193.7	-532.0	12.17	7.04	8A
SUG-18-926128.5	131.1	4262.7	5174.6	-497.4	17.61	2.28	8A
SUG-18-927208.2	213.9	4292.1	5094.0	-420.9	9.12	3.36	8A
SUG-18-928122.2	125.2	4270.0	5220.5	-541.6	15.56	2.73	8A
SUG-18-930148.7	154.5	4315.7	5192.5	-511.5	13.57	4.54	8A
SUG-18-931140.8	150.7	4305.2	5223.3	-546.2	3.20	8.10	8A
SUG-18-933133.9	142.1	4284.6	5244.8	-563.8	4.86	6.80	8A
SUG-18-935181.7	194.1	4366.9	5225.9	-539.6	4.01	7.75	8A
SUG-18-937176.3	186.8	4350.6	5240.0	-560.4	3.28	7.27	8A
SUG-18-938213.8	223.6	4395.5	5249.9	-565.1	13.23	5.67	8A
SUG-18-940168.1	185.5	4328.6	5262.1	-583.7	3.44	11.78	8A
SUG-18-941148.4	173.1	4296.1	5266.4	-589.4	11.20	18.52	8A
SUG-18-943151.2	160.6	4311.9	5172.9	-490.7	14.09	7.04	8A
SUG-18-950153.9	160.3	4331.5	5221.6	-539.6	7.69	4.79	8A
SUG-18-951245.7	255.1	4443.4	5210.9	-526.2	10.42	4.47	8A
SUG-18-954204.7	210.1	4362.3	5279.1	-604.1	11.63	3.34	8A
SUG-18-955193.0	202.3	4331.3	5283.8	-617.0	12.49	6.32	8A
SUG-18-956270.8	284.2	4423.4	5302.1	-641.4	3.97	6.65	8A
SUG-18-958174.1	184.0	4280.8	5292.7	-622.5	8.48	6.82	8A

Notes: Drillholes presented in this table have a gram-meter product greater than 20.

SUG-18-956270.8: Map points of the intercept determined where mineralized structure intersected.

SUG-18-958174.1: Gold values cut to 75 g/t.

Table 2. Selected drillhole results from the Marigold mine, Nevada, U.S. for the Exploration Period.

Hole ID	From (meters)	To (meters)	Width (meters)	Gold (g/t)	Area
MR6496	173.7	259.1	85.3	0.28	Valmy Pit
MRA6508	303.3	342.9	39.6	0.71	Red Dot
MRA6510	374.9	408.4	33.5	0.64	Red Dot
MRA6512	301.8	352.0	50.3	0.95	Red Dot
MR6515	172.2	210.3	38.1	0.71	Valmy Pit
(and)	231.6	268.2	36.6	0.70	
MR6517	269.7	317.0	47.2	0.79	Mackay Pit
MRA6523	262.1	283.5	21.3	1.85	Mackay Pit
MRA6526	243.8	259.1	15.2	1.55	Mackay Pit
MRA6527	85.3	149.4	64.0	0.50	Mackay Pit
MRA6533	67.1	147.8	80.8	0.33	Mackay Pit
MR6540	195.1	216.4	21.3	1.49	Valmy Pit
MRA6545	161.5	199.6	38.1	0.87	East Basalt
MRA6546	204.2	224.0	19.8	1.06	East Basalt
MRA6558	135.6	195.1	59.4	0.84	East Basalt
MRA6563	269.7	358.1	88.4	1.09	Red Dot
(and)	361.2	381.0	19.8	2.97	
(including)	361.2	376.4	15.2	3.73	
MRA6564	213.4	365.8	152.4	0.61	Red Dot
MRA6565	94.5	150.9	56.4	0.37	East Basalt
MRA6570	269.7	291.1	21.3	1.13	East Basalt
MRA6572	274.3	335.3	61.0	0.83	Red Dot
(and)	344.4	419.1	74.7	1.28	
(including)	362.7	390.1	27.4	2.82	
MRA6573	234.7	265.2	30.5	1.11	East Basalt
MRA6575	281.9	303.3	21.3	1.87	Mackay Pit
MRA6577	65.5	89.9	24.4	2.76	East Basalt

(including)	67.1	74.7	7.6	7.33	
(and)	254.5	336.8	82.3	1.47	
(including)	257.6	288.0	30.5	3.51	
MRA6578	275.8	303.3	27.4	1.69	Red Dot
MRA6580	149.4	275.8	126.5	0.69	Mackay Pit
MRA6585	263.7	298.7	35.1	1.54	Mackay Pit
MRA6586	192.0	224.0	32.0	1.02	East Basalt
MRA6589	306.3	382.5	76.2	0.52	Red Dot
MRA6590	292.6	304.8	12.2	2.73	Red Dot
(and)	320.0	358.1	38.1	0.75	
MRA6594	27.4	253.0	225.6	0.20	Mackay Pit
(and)	195.1	228.6	33.5	0.72	
MRA6595	196.6	268.2	71.6	0.38	Mackay Pit
MRA6596	217.9	266.7	48.8	0.89	Red Dot
(and)	312.4	364.2	51.8	0.42	
MRA6599	251.5	283.5	32.0	1.78	Mackay Pit
(including)	259.1	271.3	12.2	4.03	
MRA6600	257.6	301.8	44.2	0.71	Red Dot
MRA6603	271.3	381.0	109.7	0.77	Red Dot
MRA6610	329.2	432.8	103.6	0.47	Red Dot
MRA6612	344.4	367.3	22.9	4.61	Mackay Pit
MRA6616	324.6	364.2	39.6	0.61	Mackay Pit
MRA6619	256.0	309.4	53.3	0.46	Red Dot
MRA6620	185.9	219.5	33.5	2.28	Red Dot
(including)	193.5	219.5	25.9	2.90	
MRA6621	310.9	323.1	12.2	1.83	Red Dot
(and)	333.8	367.3	33.5	0.93	
MRA6625	224.0	335.3	111.3	0.76	Red Dot
MRA6626	256.0	327.7	71.6	3.42	Red Dot
(including)					

269.7

295.7

25.9

8.90



MRA6627	242.3	307.8	65.5	0.87	Red Dot
MRA6628	242.3	275.8	33.5	0.89	Red Dot
MRA6632	294.1	338.3	44.2	0.61	Red Dot
MRA6633	109.7	141.7	32.0	0.91	Mackay Pit
MRA6635	213.4	236.2	22.9	1.00	Red Dot
MRA6637	214.9	246.9	32.0	1.11	Mackay Pit
MRA6638	123.4	196.6	73.2	0.49	Mackay Pit
MRA6639	234.7	394.7	160.0	1.00	Red Dot
(including)	274.3	297.2	22.9	4.88	
MRA6641	304.8	349.0	44.2	1.77	Red Dot
(including)	304.8	336.8	32.0	2.15	
MRA6642	301.8	367.3	65.5	1.22	Red Dot
MRA6644	321.6	396.2	74.7	0.80	Red Dot
MRA6645	275.8	300.2	24.4	1.45	Red Dot
(and)	315.5	350.5	35.1	0.86	
MRA6646	271.3	356.6	85.3	0.73	Red Dot
MRA6647	213.4	399.3	185.9	1.23	Red Dot
(including)	268.2	274.3	6.1	8.83	
(including)	283.5	315.5	32.0	3.63	
MRA6650	329.2	362.7	33.5	0.61	Red Dot
MRA6651	245.4	277.4	32.0	0.67	Red Dot
MRA6652	211.8	356.6	144.8	0.70	Red Dot
MRA6653	275.8	326.1	50.3	0.90	Red Dot
(and)	335.3	374.9	39.6	0.56	
MRA6654	266.7	294.1	27.4	0.89	Red Dot
MRA6656	239.3	268.2	29.0	1.04	Red Dot
(and)	285.0	353.6	68.6	1.61	
(including)	313.9	329.2	15.2	4.33	
MRA6658	310.9	355.1	44.2	0.76	Red Dot
MRA6660					

272.8

329.2

56.4

0.98

Red Dot

(and)	329.2	413.0	83.8	0.27	
MRA6661	291.1	344.4	53.3	1.44	Red Dot
(including)	297.2	309.4	12.2	3.62	
MRA6667	320.0	349.0	29.0	0.86	Red Dot
MRA6669	333.8	367.3	33.5	3.16	Red Dot
(including)	335.3	355.1	19.8	4.97	
MRA6670	275.8	338.3	62.5	0.56	Red Dot
MRA6676	118.9	149.4	30.5	1.72	Mackay Pit
(including)	120.4	132.6	12.2	4.02	
MRA6679	111.3	138.7	27.4	1.68	Mackay Pit
MRA6683	291.1	339.9	48.8	1.05	Red Dot
MRA6685	228.6	248.4	19.8	1.24	Red Dot
MRA6686	189.0	249.9	61.0	0.41	Red Dot
MRA6690	231.6	393.2	161.5	0.70	Red Dot
MRA6691	260.6	303.3	42.7	0.66	Red Dot
MRA6692	260.6	332.2	71.6	1.31	Red Dot
(including)	285.0	304.8	19.8	3.13	
MRA6694	271.3	294.1	22.9	1.59	Red Dot
(and)	294.1	364.2	70.1	0.74	
MRA6699	143.3	181.4	38.1	0.60	Mackay Pit
MRA6704	309.4	365.8	56.4	0.38	Red Dot
MRA6707	71.6	155.4	83.8	0.33	Mackay Pit
MRA6711	330.7	428.2	97.5	0.32	Red Dot
MRA6713	339.9	393.2	53.3	0.49	Red Dot
MRA6714	266.7	303.3	36.6	0.58	Red Dot
MRA6717	256.0	307.8	51.8	0.77	Red Dot
MRA6722	376.4	413.0	36.6	0.68	Red Dot
MRA6723	341.4	425.2	83.8	0.49	Red Dot
MRA6728	257.6	300.2	42.7	0.64	Red Dot
(and)					

309.4

382.5

73.2

0.32



MRA6729	256.0	280.4	24.4	1.82	Red Dot
MRA6730	172.2	208.8	36.6	1.48	Mackay Pit
(including)	182.9	189.0	6.1	7.21	
MR6731	149.4	161.5	12.2	2.00	Mackay Pit
MRA6732	117.3	143.3	25.9	0.94	Mackay Pit
MRA6733	327.7	339.9	12.2	1.72	Red Dot
MRA6734	289.6	353.6	64.0	0.49	Red Dot
MRA6738	312.4	315.5	3.0	6.56	Red Dot
(and)	364.2	393.2	29.0	0.87	
Notes: Width in meters. 43.76 represents down-hole intersected length, which may or may not be a true thickness of the mineralization. Drillholes presented in this table have a gram-meter product greater than 20.					
MRA6743	117.3	179.8	62.5	1.45	Mackay Pit
(including)	118.9	129.5	10.7	6.82	
Table 3. Collar locations from the 2018 exploration drill programs at the Marigold mine, Nevada, U.S. for the Marigold Period.					
MRA6744	102.0	144.8	42.7	0.79	Mackay Pit
MRA6747	214.9	379.5	164.6	0.55	Red Dot
MRA6749	268.2	283.5	15.2	1.41	Red Dot
MRA6751	268.2	310.9	42.7	0.74	Red Dot
MRA6758	260.6	414.5	153.9	0.45	Red Dot
MRA6765	243.8	309.4	65.5	0.40	Red Dot
MRA6771	204.2	211.8	7.6	6.59	Mackay Pit
MRA6772	53.3	76.2	22.9	1.20	Mackay Pit
MRA6775	210.3	315.5	105.2	0.67	Red Dot

HOLE ID	UTM-N (Nad27 Zone11)	UTM-E (Nad27 Zone11)	Elevation (masl)	Azimuth (deg.)	Dip (deg.)	Length (meters)	Area
MR6496	4504346	487089	1926	120	-89	367	Valmy Pit
MRA6508	4507547	485065	1590	84	-69	343	Red Dot
MRA6509	4508072	484747	1586	87	-70	428	Red Dot
MRA6510	4508035	484765	1589	90	-75	428	Red Dot
MRA6511	4508127	484793	1580	90	-74	428	Red Dot
MRA6512	4508157	484800	1579	91	-74	428	Red Dot
MR6514	4504347	487140	1924	225	-90	396	Valmy Pit
MR6515	4504348	487116	1925	127	-89	379	Valmy Pit
MR6516	4504316	487085	1940	346	-90	386	Valmy Pit
MR6517	4507274	485067	1604	64	-89	392	Mackay Pit
MRA6518	4508096	484835	1580	97	-75	367	Red Dot
MRA6519	4503531	487799	2117	307	-71	274	Hollow Point
MRA6520	4503399	487444	2060	132	-70	386	Hollow Point
MRA6521	4503730	487774	2086	268	-51	221	Hollow Point
MRA6522	4503677	487777	2095	269	-49	325	Hollow Point
MRA6523	4507249	485061	1604	88	-56	383	Mackay Pit
MRA6524	4503799	487737	2075	265	-51	171	Hollow Point
MRA6525	4507274	485067	1604	86	-76	386	Mackay Pit
MRA6526	4507274	485068	1604	89	-51	367	Mackay Pit
MRA6527	4507155	485224	1508	272	-88	200	Mackay Pit
MRA6528	4503469	485984	1860	81	-76	337	East Basalt
MRA6529	4503674	487710	2093	269	-49	305	Hollow Point
MRA6530	4503585	487288	2030	270	-65	264	Hollow Point
MRA6531	4503647	485912	1862	274	-56	367	East Basalt
MRA6532	4503312	487288	2048	265	-66	270	Hollow Point
MRA6533	4507059	485201	1498	88	-64	184	Mackay Pit
MR6534	4504744	487111	1852	100	-89	215	Valmy Pit
MRA6535	4504680	487146	1852	92	-71	215	Valmy Pit
MRA6536	4507089	485327	1455	89	-54	123	Mackay Pit
MRA6537							

4507029

485282

Mackay Pit

MRA65384506973485222	1489	86	-87	184	Mackay Pit	
MR6539	4504861487200	1859	220	-89	245	Valmy Pit
MR6540	4504350487233	1902	302	-90	322	Valmy Pit
MR6541	4504350486998	1916	184	-89	306	Valmy Pit
MR6542	4504102486152	1886	72	-89	306	Show Down
MR6543	4504321486372	1849	214	-88	337	Show Down
MRA6544	4503554485880	1840	270	-62	337	East Basalt
MRA6545	4503526485862	1835	268	-78	276	East Basalt
MRA6546	4503431485887	1848	81	-75	337	East Basalt
MRA6547	4503405485876	1850	270	-70	306	East Basalt
MRA6548	4503340485895	1867	271	-76	276	East Basalt
MRA6549	4503372485890	1861	267	-75	337	East Basalt
MRA6550	4503406485879	1850	90	-75	227	East Basalt
MR6551	4503490485971	1853	206	-90	276	East Basalt
MR6552	4503557485920	1833	119	-89	337	East Basalt
MR6553	4504652486414	1875	55	-89	337	Show Down
MR6554	4504557486623	1891	132	-90	337	Show Down
MR6555	4504439486546	1875	125	-88	337	Show Down
MR6556	4504464486538	1877	59	-90	337	Show Down
MR6557	4503800486518	1931	16	-89	337	Show Down
MRA6558	4503219485770	1796	83	-49	337	East Basalt
MRA6559	4503190485715	1801	87	-56	276	East Basalt
MRA6560	4503038485728	1857	86	-49	367	East Basalt
MRA6561	4507791484997	1574	270	-80	393	Red Dot
MRA6562	4507823484945	1573	89	-80	245	Red Dot
MRA6563	4507666484779	1590	89	-83	428	Red Dot
MRA6564	4507667484779	1590	91	-75	413	Red Dot
MRA6565	4503463485846	1832	267	-62	367	East Basalt
MRA6566	4507820484941	1572	86	-76	392	Red Dot
MR6567	4503532485941	1836	70	-89	337	East Basalt
MRA6568	4503613485942	1851	259	-75	337	East Basalt
MRA6569						

4503614

485940

1852

East Basalt

MRA65704503613485941	1851	261	-54	367	East Basalt
MRA65714503586485994	1845	87	-76	276	East Basalt
MRA65724507728484757	1605	84	-80	443	Red Dot
MRA65734503584485929	1843	88	-74	322	East Basalt
MRA65744507728484757	1605	86	-66	410	Red Dot
MRA65754507975485272	1600	270	-75	367	Mackay Pit
MR6576 4503613485941	1851	200	-89	337	East Basalt
MRA65774503612485943	1851	87	-75	337	East Basalt
MRA65784507517484934	1582	86	-63	383	Red Dot
MRA65794507487485320	1645	89	-72	291	Mackay Pit
MRA65804507487485321	1645	89	-59	276	Mackay Pit
MRA65814503547485961	1839	88	-80	352	East Basalt
MRA65824508004485360	1615	91	-84	306	Mackay Pit
MRA65834508004485362	1615	90	-51	276	Mackay Pit
MRA65844508036485332	1615	277	-73	337	Mackay Pit
MRA65854508036485331	1614	265	-56	367	Mackay Pit
MRA65864503556485882	1842	270	-82	276	East Basalt
MRA65874508069485316	1606	95	-80	230	Mackay Pit
MRA65884508069485317	1606	92	-56	200	Mackay Pit
MRA65894507364484913	1589	84	-80	383	Red Dot
MRA65904507517484934	1582	85	-81	383	Red Dot
MRA65914507730485285	1614	88	-76	322	Mackay Pit
MR6592 4507728485223	1615	131	-90	276	Mackay Pit
MRA65934507487484950	1585	86	-73	367	Red Dot
MRA65944507699485226	1614	96	-78	285	Mackay Pit
MRA65954507699485228	1614	95	-50	367	Mackay Pit
MRA65964507334484916	1590	81	-81	398	Red Dot
MRA65974508066485281	1607	319	-83	306	Mackay Pit
MRA65984508067485284	1607	58	-71	322	Mackay Pit
MRA65994508004485258	1607	276	-85	398	Mackay Pit
MRA66004507182484857	1592	83	-63	443	Red Dot
MRA6601					

4507334

484917

Red Dot

MRA66024507485484753	1593	82	-73	398	Red Dot
MRA66034507213484924	1595	79	-86	413	Red Dot
MRA66044507546485008	1585	84	-63	383	Red Dot
MRA66054507211485054	1606	79	-69	367	Red Dot
MRA66064507516484673	1600	88	-75	428	Red Dot
MRA66074507516484718	1598	86	-65	419	Red Dot
MRA66084507945485275	1599	266	-84	337	Mackay Pit
MRA66094507547484661	1599	87	-74	386	Red Dot
MRA66104507547484660	1599	87	-56	443	Red Dot
MRA66114507517484503	1615	86	-74	413	Red Dot
MRA66124507945485275	1599	269	-66	367	Mackay Pit
MRA66134507945485275	1600	84	-73	306	Mackay Pit
MR6614 4507975485273	1600	205	-89	306	Mackay Pit
MRA66154507975485272	1600	89	-77	306	Mackay Pit
MRA66164508005485256	1599	267	-73	398	Mackay Pit
MRA66174507177484991	1601	82	-65	367	Red Dot
MRA66184507485484591	1609	88	-74	459	Red Dot
MRA66194507239484946	1594	89	-86	398	Red Dot
MRA66204507239484946	1594	80	-72	245	Red Dot
MRA66214507486484869	1582	88	-80	367	Red Dot
MRA66224507485484591	1609	86	-65	459	Red Dot
MRA66234507553484568	1604	86	-76	459	Red Dot
MR6624 4507181484712	1600	167	-90	443	Red Dot
MRA66254507181484713	1599	86	-80	443	Red Dot
MRA66264507181484757	1591	85	-80	443	Red Dot
MRA66274507181484758	1591	84	-70	443	Red Dot
MRA66284507517485130	1599	86	-65	352	Red Dot
MRA66294507577485335	1645	89	-71	293	Mackay Pit
MRA66304507242484631	1605	82	-80	425	Red Dot
MRA66314507212484639	1603	89	-86	428	Red Dot
MRA66324507211484639	1603	86	-80	425	Red Dot
MRA6633					

4507577

485337

Mackay Pit

MRA66344507517485131	1600	87	-59	352	Red Dot
MRA66354507517485131	1599	84	-45	352	Red Dot
MRA66364507604485326	1645	87	-70	276	Mackay Pit
MRA66374507604485327	1645	84	-58	306	Mackay Pit
MRA66384507604485328	1645	84	-44	317	Mackay Pit
MRA66394507211484704	1595	89	-80	428	Red Dot
MRA66404507486485114	1597	84	-73	367	Red Dot
MRA66414507486484870	1582	84	-73	367	Red Dot
MRA66424507486485114	1597	85	-67	367	Red Dot
MRA66434507211484820	1591	89	-80	413	Red Dot
MRA66444507242484852	1590	83	-86	421	Red Dot
MRA66454507273484670	1601	83	-79	443	Red Dot
MRA66464507120484889	1596	83	-73	398	Red Dot
MRA66474507242484748	1590	84	-82	413	Red Dot
MRA66484507397484742	1591	86	-84	428	Red Dot
MRA66494507397484743	1591	87	-76	422	Red Dot
MRA66504507455484876	1584	87	-69	383	Red Dot
MRA66514507394485101	1603	84	-71	337	Red Dot
MRA66524507273484783	1589	88	-86	413	Red Dot
MRA66534507273484784	1589	85	-71	422	Red Dot
MRA66544507424485101	1598	84	-74	367	Red Dot
MRA66554507304484766	1588	87	-76	334	Red Dot
MRA66564507457484751	1591	85	-79	398	Red Dot
MRA66574507457484752	1591	84	-72	404	Red Dot
MRA66584507426484660	1600	85	-79	459	Red Dot
MRA66604507333484715	1596	85	-75	413	Red Dot
MRA66614507551484908	1581	81	-81	352	Red Dot
MRA66624507551484909	1581	84	-61	396	Red Dot
MR6663 4507760485222	1584	242	-90	393	Mackay Pit
MRA66644507760485223	1584	89	-77	375	Mackay Pit
MRA66654507273485005	1598	87	-80	367	Red Dot
MRA6666					

4507121

484650

Red Dot

MRA66674507121484650	1604	84	-66	454	Red Dot
MRA66684507059484724	1595	85	-75	413	Red Dot
MRA66694507423484891	1585	82	-78	367	Red Dot
MRA66704507361485028	1596	85	-81	367	Red Dot
MR6671 4508098485460	1585	211	-89	261	Mackay Pit
MRA66724508126485481	1585	91	-75	276	Mackay Pit
MRA66734508095485480	1585	90	-55	261	Mackay Pit
MRA66744507453484977	1587	83	-75	383	Red Dot
MRA66754507452485073	1595	83	-69	367	Red Dot
MRA66764507822485565	1554	85	-65	230	Mackay Pit
MRA66774507855485547	1559	89	-64	215	Mackay Pit
MRA66784507855485546	1559	81	-79	215	Mackay Pit
MRA66794507882485542	1560	89	-76	215	Mackay Pit
MRA66804507882485542	1560	91	-61	230	Mackay Pit
MRA66814507884485557	1560	90	-49	215	Mackay Pit
MRA66824507578484690	1595	87	-82	428	Red Dot
MRA66834507578484690	1594	80	-73	428	Red Dot
MRA66844507577485111	1593	82	-66	337	Red Dot
MRA66854507577485112	1593	83	-57	337	Red Dot
MRA66864507459485143	1603	88	-66	344	Red Dot
MRA66874507459485143	1603	86	-57	337	Red Dot
MRA66884507459485144	1603	85	-47	349	Red Dot
MRA66894507546485062	1590	79	-78	398	Red Dot
MRA66904507212484807	1591	86	-80	428	Red Dot
MRA66914507151484818	1592	87	-73	428	Red Dot
MRA66924507242484686	1602	87	-75	404	Red Dot
MRA66934507547484852	1580	84	-76	383	Red Dot
MRA66944507180484793	1592	81	-74	428	Red Dot
MRA66954507303484953	1592	87	-65	383	Red Dot
MRA66964507238485801	1612	94	-55	343	Mackay Pit
MRA66974507333485023	1595	87	-76	367	Red Dot
MR6698					

4507300

485932

Mackay Pit

MRA66994507608485945	1603	267	-80	245	Mackay Pit
MRA67004507302484862	1588	86	-74	398	Red Dot
MRA67014507608485305	1645	84	-86	340	Mackay Pit
MR6702 4507577485391	1644	70	-89	337	Mackay Pit
MRA67034507639485359	1638	89	-60	337	Mackay Pit
MRA67044507212484949	1596	97	-80	366	Red Dot
MRA67054507577484590	1601	83	-85	367	Red Dot
MRA67064507974485204	1587	86	-80	383	Mackay Pit
MRA67074507944485205	1587	269	-80	413	Mackay Pit
MRA67084507151484820	1593	84	-55	428	Red Dot
MRA67094507580484589	1602	84	-79	428	Red Dot
MRA67104507060484646	1609	84	-76	413	Red Dot
MRA67114507303484614	1604	83	-77	428	Red Dot
MRA67124507395484969	1589	80	-80	360	Red Dot
MRA67134507335484595	1605	86	-71	459	Red Dot
MRA67144507365484839	1586	84	-82	386	Red Dot
MRA67154507389484636	1598	82	-79	349	Red Dot
MRA67164507273484667	1601	81	-85	443	Red Dot
MRA67174507302484862	1588	85	-82	398	Red Dot
MRA67184507060485037	1619	88	-75	367	Red Dot
MR6719 4505799485439	1615	0	-90	198	Mackay Pit
MRA67204507827484797	1614	93	-75	398	Red Dot
MRA67214507827484798	1614	94	-60	428	Red Dot
MRA67224507752484692	1602	85	-77	459	Red Dot
MRA67234507752484693	1602	86	-64	459	Red Dot
MRA67244507060485037	1619	91	-66	367	Red Dot
MRA67254507118484994	1607	87	-55	367	Red Dot
MRA67264507118484993	1607	87	-66	367	Red Dot
MRA67274507819484722	1614	100	-81	398	Red Dot
MRA67284507578484791	1588	84	-75	383	Red Dot
MRA67294507394484854	1585	87	-73	383	Red Dot
MRA6730					

4508092

485246

Mackay Pit

MR6731	4508066	485240	1569	310	-89	343	Mackay Pit
MRA6732	4508126	485332	1569	268	-70	343	Mackay Pit
MRA6733	4507879	484742	1619	88	-71	428	Red Dot
MRA6734	4507090	484845	1598	84	-75	398	Red Dot
MRA6735	4507090	484845	1598	82	-66	398	Red Dot
MRA6736	4507059	484921	1601	81	-67	381	Red Dot
MRA6737	4507090	484656	1607	89	-76	443	Red Dot
MRA6738	4507611	484640	1604	89	-76	404	Red Dot
MRA6739	4507394	484853	1585	83	-71	383	Red Dot
MRA6740	4507640	484618	1612	86	-76	459	Red Dot
MRA6741	4507090	484656	1607	85	-65	459	Red Dot
MRA6742	4507884	485346	1554	88	-74	306	Mackay Pit
MRA6743	4507884	485347	1554	89	-60	306	Mackay Pit
MRA6744	4507884	485348	1554	88	-44	294	Mackay Pit
MRA6745	4507364	484621	1602	86	-80	443	Red Dot
MRA6746	4507395	484969	1589	80	-71	367	Red Dot
MRA6747	4507360	484664	1599	88	-69	443	Red Dot
MRA6748	4507090	484657	1607	85	-55	459	Red Dot
MRA6749	4507336	484838	1587	79	-86	392	Red Dot
MRA6750	4507456	484753	1591	83	-61	398	Red Dot
MRA6751	4507336	484838	1587	84	-80	398	Red Dot
MRA6752	4507760	484915	1576	80	-85	319	Mackay Pit
MRA6753	4507883	484977	1561	86	-61	215	Mackay Pit
MRA6754	4507852	484973	1564	84	-71	331	Mackay Pit
MRA6755	4507762	484999	1569	85	-62	233	Mackay Pit
MRA6756	4507792	485001	1568	85	-79	337	Mackay Pit
MRA6757	4507975	484945	1554	83	-73	367	Mackay Pit
MRA6758	4507272	484664	1601	274	-86	443	Red Dot
MRA6759	4507883	484956	1561	83	-61	319	Mackay Pit
MRA6760	4507944	484975	1557	85	-71	325	Mackay Pit
MRA6761	4508004	484947	1554	86	-77	288	Mackay Pit
MRA6762							

4507855

484969

Mackay Pit

MRA67634507915 484945	1558	85	-75	285	Mackay Pit
MRA67644507976 484927	1555	85	-72	326	Mackay Pit
MRA67654507272 484784	1589	82	-59	443	Red Dot
MRA67664508432 484878	1563	82	-62	276	Red Dot
MRA67674507060 485038	1619	86	-57	331	Red Dot
MRA67684508432 484849	1566	88	-61	306	Red Dot
MRA67694508462 484798	1570	93	-65	322	Red Dot
MRA67704507913 485379	1539	89	-85	215	Mackay Pit
MRA67714507879 485357	1539	159	-77	245	Mackay Pit
MRA67724507913 485380	1539	83	-59	215	Mackay Pit
MRA67734507881 485356	1539	107	-44	215	Mackay Pit
MRA67744507881 485354	1539	118	-66	230	Mackay Pit
MRA67754507611 484798	1585	81	-80	383	Red Dot
MRA67764507089 484984	1606	85	-76	367	Red Dot
MRA67774507612 484798	1585	86	-66	398	Red Dot
MRA67784507089 484985	1606	82	-65	367	Red Dot
MRA67794508676 484857	1559	88	-75	276	Red Dot
MRA67814508498 484918	1559	88	-74	261	Red Dot
MRA67824508617 484857	1559	98	-79	291	Red Dot
MRA67834507028 484935	1603	86	-75	367	Red Dot
MRA67844508647 484877	1558	94	-85	276	Red Dot
MRA67854508647 484878	1558	88	-69	261	Red Dot

Notes: The numerical gaps in the drillhole sequence result from drillholes reported previously or drillholes expected to be drilled in 2018. Data is provided if the drillhole has a Mineral Resource intercept of at least six meters at 0.3 g/t gold. "Width" may not equal the difference between "To" and "From" due to rounding.

Sampling and Analytical Procedures

All drill samples in respect of the Seabee Gold Operation drilling program were assayed by our onsite

non-accredited assay laboratory, which is not independent from SSR Mining. Duplicate check assays were conducted at site as well as at TSL Laboratories Inc. in Saskatoon, Saskatchewan, which is independent from SSR Mining. Results of the spot checks were consistent with those reported. Sampling interval was established by minimum or maximum sampling lengths and geological and/or structural criteria. Two hundred gram samples were pulverized until greater than 80 percent passed through 150 mesh screen. Thirty-gram pulp samples were then analyzed for gold by fire assay with gravimetric finish (0.01 g/t gold detection limit).

All drill samples in respect of the Marigold mine drilling program were sent for processing and analysis to the offices of American Assay Laboratories, Inc. ("AAL") in Sparks, Nevada which is an ISO 17025 accredited laboratory independent from SSR Mining. Fire assay was completed on a 30-gram sample (AAL method code FA-PB30-ICP) with an Inductively Coupled Plasma ("ICP") finish after a two acid digestion. Samples with assay results greater than 10 g/t gold were fire assayed on a 30-gram sample (AAL method code Grav Au30) with a gravimetric finish. We employ a rigorous Quality Assurance/Quality Control ("QA/QC") program, which includes real-time assay quality monitoring through the regular insertion of blanks, duplicates, and certified reference material, as well as reviewing laboratory-provided QA/QC data.

Qualified Persons

The scientific and technical data contained in this news release relating to the Seabee Gold Operation has been reviewed and approved by Jeffrey Kulas, P. Geo., a qualified person under National Instrument 43-101 — Standards of Disclosure for Mineral Projects ("NI 43-101"). Mr. Kulas is our Manager Geology, Mining Operations at the Seabee Gold Operation. The scientific and technical data contained in this news release relating to the Marigold mine has been reviewed and approved by James N. Carver, SME Registered Member and a qualified person under NI 43-101. Mr. Carver is our Chief Geologist at the Marigold mine.

About SSR Mining

[SSR Mining Inc.](#) is a Canadian-based precious metals producer with three operations, including the Marigold mine in Nevada, U.S., the Seabee Gold Operation in Saskatchewan, Canada and the 75%-owned and operated Puna Operations joint venture in Jujuy, Argentina. We also have two feasibility stage projects and a portfolio of exploration properties in North and South America. We are committed to delivering safe production through relentless emphasis on Operational Excellence. We are also focused on growing production and Mineral Reserves through the exploration and acquisition of assets for accretive growth, while maintaining financial strength.

For further information contact:

W. John DeCooman, Jr.
Vice President, Business Development and Strategy
[SSR Mining Inc.](#)
Vancouver, BC
Toll free: +1 (888) 338-0046
All others: +1 (604) 689-3846
E-Mail: invest@ssrmining.com

To receive SSR Mining's news releases by e-mail, please register using the SSR Mining website at www.ssrmining.com.

Cautionary Note Regarding Forward-Looking Statements

This news release contains forward-looking information within the meaning of Canadian securities laws and forward-looking statements within the meaning of the U.S. Private Securities Litigation Reform Act of 1995 (collectively, "forward-looking statements") concerning the anticipated developments in our operations in future periods, and other events or conditions that may occur or exist in the future. All statements, other than statements of historical fact, are forward-looking statements.

Generally, forward-looking statements can be identified by the use of words or phrases such as "expects," "anticipates," "plans," "projects," "estimates," "assumes," "intends," "strategy," "goals," "objectives," "potential," or variations thereof, or stating that certain actions, events or results "may," "could," "would,"

"might" or "will" be taken, occur or be achieved, or the negative of any of these terms or similar expressions. The forward-looking statements in this news release relate to, among other things: our ability to discover and increase Mineral Resources, replace and increase Mineral Reserves, convert Mineral Resources to Mineral Reserves and convert Inferred Mineral Resources to Indicated Mineral Resources at the Marigold mine and the Seabee Gold Operation, including (a) upgrading Inferred Mineral Resources at Red Dot at year-end 2018 and the goal of declaring a Mineral Reserve at Red Dot by mid-2019 and (b) adding Mineral Resources at Santoy Gap HW at year-end 2018 and increasing and converting Mineral Resources to Mineral Reserves near the Santoy mine at year-end 2018; expected timing for the assessment of an expansion and an updated mine plan at the Marigold mine by mid-2019; our expected drill programs at each of the Marigold mine and the Seabee Gold Operation; future production of gold, silver and other metals; estimated production rates for gold, silver and other metals produced by us; ongoing or future development plans and capital replacement, improvement or remediation programs; and our plans and expectations for our properties and operations.

These forward-looking statements are subject to a variety of known and unknown risks, uncertainties and other factors that could cause actual events or results to differ from those expressed or implied, including, without limitation, the following: uncertainty of production, development plans and cost estimates for the Marigold mine, the Seabee Gold Operation and our projects; our ability to replace Mineral Reserves; commodity price fluctuations; political or economic instability and unexpected regulatory changes; currency and interest rate fluctuations; the possibility of future losses; general economic conditions; counterparty and market risks related to the sale of our concentrate and metals; uncertainty in the accuracy of Mineral Reserves and Mineral Resources estimates and in our ability to extract mineralization profitably; differences in U.S. and Canadian practices for reporting Mineral Reserves and Mineral Resources; lack of suitable infrastructure or damage to existing infrastructure; future development risks, including start-up delays and cost overruns; our ability to obtain adequate financing for further exploration and development programs and opportunities; uncertainty in acquiring additional commercially mineable mineral rights; delays in obtaining or failure to obtain governmental permits, or non-compliance with our permits; our ability to attract and retain qualified personnel and management; potential labour unrest; the impact of governmental regulations, including health, safety and environmental regulations, including increased costs and restrictions on operations due to compliance with such regulations; reclamation and closure requirements for our mineral properties; failure to effectively manage our tailings facilities; social and economic changes following closure of a mine may lead to adverse impacts and unrest; unpredictable risks and hazards related to the development and operation of a mine or mineral property that are beyond our control; indigenous peoples' title claims and rights to consultation and accommodation may affect our existing operations as well as development projects and future acquisitions; assessments by taxation authorities in multiple jurisdictions; claims and legal proceedings, including adverse rulings in litigation against us and/or our directors or officers; compliance with anti-corruption laws and internal controls, and increased regulatory compliance costs; complying with emerging climate change regulations and the impact of climate change, including extreme weather conditions; fully realizing our interest in deferred consideration received in connection with recent divestitures; uncertainties related to title to our mineral properties and the ability to obtain surface rights; the sufficiency of our insurance coverage; civil disobedience in the countries where our mineral properties are located; operational safety and security risks; actions required to be taken by us under human rights law; competition in the mining industry for mineral properties; our ability to complete and successfully integrate an announced acquisition; an event of default under our convertible notes may significantly reduce our liquidity and adversely affect our business; failure to meet covenants under our senior secured revolving credit facility; conflicts of interest that could arise from certain of our directors' and officers' involvement with other natural resource companies; information systems security threats; and those other various risks and uncertainties identified under the heading "Risk Factors" in our most recent Annual Information Form filed with the Canadian securities regulatory authorities and included in our most recent Annual Report on Form 40-F filed with the U.S. Securities and Exchange Commission ("SEC").

This list is not exhaustive of the factors that may affect any of our forward-looking statements. Our forward-looking statements are based on what our management currently considers to be reasonable assumptions, beliefs, expectations and opinions based on the information currently available to it. Assumptions have been made regarding, among other things, our ability to carry on our exploration and development activities, our ability to meet our obligations under our property agreements, the timing and results of drilling programs, the discovery of Mineral Resources and Mineral Reserves on our mineral properties, the timely receipt of required approvals and permits, including those approvals and permits required for successful project permitting, construction and operation of our projects, the price of the minerals we produce, the costs of operating and exploration expenditures, our ability to operate in a safe, efficient and effective manner, our ability to obtain financing as and when required and on reasonable terms and our ability to continue operating the Marigold mine and the Seabee Gold Operation. You are cautioned that the foregoing list is not exhaustive of all factors and assumptions which may have been used. We cannot assure you that actual events, performance or results will be consistent with these forward-looking statements, and

management's assumptions may prove to be incorrect. Our forward-looking statements reflect current expectations regarding future events and operating performance and speak only as of the date hereof and we do not assume any obligation to update forward-looking statements if circumstances or management's beliefs, expectations or opinions should change other than as required by applicable law. For the reasons set forth above, you should not place undue reliance on forward-looking statements.

Cautionary Note to U.S. Investors

This news release includes Mineral Reserves and Mineral Resources classification terms that comply with reporting standards in Canada and the Mineral Reserves and the Mineral Resources estimates are made in accordance with NI 43-101. NI 43-101 is a rule developed by the Canadian Securities Administrators that establishes standards for all public disclosure an issuer makes of scientific and technical information concerning mineral projects. These standards differ significantly from the requirements of the SEC set out in SEC Industry Guide 7. Consequently, Mineral Reserves and Mineral Resources information included in this news release is not comparable to similar information that would generally be disclosed by domestic U.S. reporting companies subject to the reporting and disclosure requirements of the SEC. Under SEC standards, mineralization may not be classified as a "reserve" unless the determination has been made that the mineralization could be economically produced or extracted at the time the reserve determination is made. In addition, the SEC's disclosure standards normally do not permit the inclusion of information concerning "Measured Mineral Resources," "Indicated Mineral Resources" or "Inferred Mineral Resources" or other descriptions of the amount of mineralization in mineral deposits that do not constitute "reserves" by U.S. standards in documents filed with the SEC. U.S. investors should understand that "Inferred Mineral Resources" have a great amount of uncertainty as to their existence and great uncertainty as to their economic and legal feasibility. Moreover, the requirements of NI 43-101 for identification of "reserves" are also not the same as those of the SEC, and reserves reported by us in compliance with NI 43-101 may not qualify as "reserves" under SEC standards. Accordingly, information concerning mineral deposits set forth herein may not be comparable with information made public by companies that report in accordance with U.S. standards.

View original content to download

multimedia:<http://www.prnewswire.com/news-releases/ssr-mining-provides-november-2018-exploration-update-300745525.html>

SOURCE [SSR Mining Inc.](#)

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/312652--SSR-Mining-Provides-November-2018-Exploration-Update.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinen](#).