## Champion Bear Announces Drilling Results from Plomp Farm West Gold Project

17.01.2019 | GlobeNewswire

- Drill Hole PF18-98 records multiple intersections including 1.0 m at 3.65 g/t Au, combined 6.0 m equal to or greater than 1.0 g/t Au, combined 11.0 m equal to or greater than 0.5 g/t Au and combined 23.0 m equal to or greater than 0.3 g/t Au
- Drill Hole PF18-89 records intersection including 1.0 m at 3.04 g/t Au, combined 4.0 m equal to or greater than 1.0 g/t Au, combined 8.0 m equal to or greater than 0.5 g/t Au, combined 12.0 m equal to or greater than 0.3 g/t Au
- 15 new drill holes of which 12 new drill holes had intersections equal to or greater than 0.3 g/t Au.
- Total new drilling equal to 2,887 m averaging 192.46 m per drill hole

CALGARY, Jan. 17, 2019 - <u>Champion Bear Resources Ltd.</u> (CBA.V) (&ldquo;Champion Bear&rdquo; or the &ldquo;Company&rdquo;) is pleased to announce results from the Q4 2018 Plomp Farm infill drilling program on its 100% owned project located 20 km west of Dryden, Ontario, Canada.

Champion Bear Resources Plomp Farm West Resource Map

The results for the latest 15 NQ diamond drill holes in the Plomp Farm West deposit are summarized in Table 1 below. The drilling program was designed to collect data predominantly within the top 200 meters of the surface to both fill historical data gaps and complement existing data from 125 drill holes and wedge holes that range as deep as 918 m. Table 2 provides details of collar location and hole orientation. A plan view map is attached identifying the Q4 2018 drilling program.

Table 1 – Plomp Farm West Gold Project – Significant Intercepts from 15 Diamond Drill Holes

Hole ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/
PF18-86	146.0	156.0	10.0	8.33	0.210	4.88
Including	147.0	148.0	1.0	0.83	0.384	10.2
Including	154.0	155.0	1.0	0.83	0.318	4.7
PF18-87	90.0	91.0	1.0	0.78	0.893	6.0
PF18-87	136.0	141.0	5.0	4.17	0.264	5.2
Including	140.0	141.0	1.0	0.78	0.307	3.7
PF18-88	153.0	161.0	8.0	6.67	0.489	6.68
Including	155.0	156.0	1.0	0.83	0.542	8.7
Including	156.0	157.0	1.0	0.83	0.524	7.0
Including	157.0	158.0	1.0	0.83	0.407	4.6
Including	159.0	160.0	1.0	0.83	0.760	10.1
Including	160.0	161.0	1.0	0.83	0.592	6.6
PF18-89	110.0	128.0	18.0	14.94	0.761	10.57
Including	110.0	111.0	1.0	0.83	0.314	3.8
Including	111.0	112.0	1.0	0.83	0.592	5.9
Including	112.0	113.0	1.0	0.83	0.896	11.6
Including	113.0	114.0	1.0	0.83	1.000	8.1
Including	114.0	115.0	1.0	0.83	0.816	8.0
Including	122.0	123.0	1.0	0.83	2.230	24.4
Including	123.0	124.0	1.0	0.83	1.730	12.4

21.04.2025 Seite 1/5

125.0 1.0

Including 124.0

PF18-98 210.0

214.0 4.0

0.83

3.040

47.3

including 124.0	125.0	1.0	0.83	3.040	47.3
Including 125.0	126.0	1.0	0.83	0.330	9.6
Hole ID From (m)	To (m)	Interval (m	True width (m)	Gold g/t	Silver g/t
Including 126.0	127.0	1.0	0.83	0.530	13.2
Including 127.0	128.0	1.0	0.83	0.463	9.0
PF18-90 125.0	129.0	4.0	3.32	0.506	6.55
Including 125.0	126.0	1.0	0.83	0.333	4.5
Including 127.0	128.0	1.0	0.83	0.518	7.7
Including 128.0	129.0	1.0	0.83	0.954	10.6
PF18-91 130.0	131.0	1.0	0.83	0.275	1.3
PF18-92 155.0	156.0	1.0	0.83	0.140	2.9
PF18-93 164.0		2.0	1.67	0.260	3.25
Including 164.0	165.0	1.0	0.83	0.319	4.8
PF18-94 144.0	145.0	1.0	0.83	0.180	4.8
PF18-95 166.0	170.0	4.0	3.32	0.403	3.43
Including 166.0	167.0	1.0	0.83	0.606	6.1
Including 167.0	168.0	1.0	0.83	0.483	3.5
Including 169.0	170.0	1.0	0.83	0.339	2.9
PF18-95 175.0		8.0	6.67	0.258	4.025
Including 175.0	176.0	1.0	0.83	0.614	6.7
Including 177.0	178.0	1.0	0.83	0.014	2.1
Including 180.0	181.0	1.0	0.83	0.122	7.1
J		1.0			5.3
Including 181.0	182.0		0.83	0.242	
Including 182.0	183.0	1.0	0.83	0.321	6.0
PF18-95 186.0		2.0	1.67	0.718	6.4
Including 186.0	187.0	1.0	0.83	0.416	3.4
Including 187.0	188.0	1.0	0.83	1.020	9.4
PF18-96 158.0		2.0	1.67	0.485	4.950
Including 158.0	159.0	1.0	0.83	0.767	7.2
PF18-96 177.0		1.0	0.83	0.387	3.0
PF18-96 184.0		25.0	20.75	0.411	2.036
Including 184.0	185.0	1.0	0.83	0.639	4.6
Including 185.0	186.0	1.0	0.83	0.307	1.8
Including 202.0	203.0	1.0	0.83	0.632	2.0
Including 203.0	204.0	1.0	0.83	0.921	2.3
Including 204.0	205.0	1.0	0.83	0.745	2.2
Including 205.0	206.0	1.0	0.83	0.506	1.9
Including 206.0	207.0	1.0	0.83	0.870	2.7
Including 207.0	208.0	1.0	0.83	0.484	2.9
Including 208.0	209.0	1.0	0.83	1.430	4.7
PF18-96 217.0	224.0	7.0	5.83	0.362	2.335
Including 217.0	218.0	1.0	0.83	0.415	2.2
Including 218.0	219.0	1.0	0.83	0.322	2.7
Hole ID From (m)	) To (m	) Interval (n	n) True width (m	) Gold g/	t Silver g/t
PF18-97 208.0	209.0	1.0	0.83	0.345	1.8
PF18-97 272.0	274.0	2.0	1.67	1.152	6.8
Including 272.0	273.0	1.0	0.83	1.660	5.1
Including 273.0	274.0	1.0	0.83	0.644	1.7
DE18-08 210.0	214 0	4.0	3 33	0.348	1 775

21.04.2025 Seite 2/5

0.348

4.775

3.33

Including	210.0	211.0	1.0	0.83	0.326	12.4
Including	211.0	212.0	1.0	0.83	0.201	1.5
Including	212.0	213.0	1.0	0.83	0.232	1.4
Including	213.0	214.0	1.0	0.83	0.633	3.8
PF18-98	225.0	236.0	11.0	9.13	0.541	3.05
Including	232.0	233.0	1.0	0.83	0.522	3.2
Including	233.0	234.0	1.0	0.83	1.000	5.1
Including	234.0	235.0	1.0	0.83	0.994	8.4
Including	235.0	236.0	1.0	0.83	1.010	1.8
PF18-98	240.0	241.0	1.0	0.83	0.796	2.5
PF18-98	246.0	247.0	1.0	0.83	0.511	5.6
PF18-98	265.0	269.0	4.0	3.33	0.407	1.925
Including	265.0	266.0	1.0	0.83	0.404	2.9
Including	268.0	269.0	1.0	0.83	0.731	0.3
PF18-98	277.0	281.0	4.0	3.32	2.250	2.83
Including	277.0	278.0	1.0	0.83	3.650	5.3
Including	278.0	279.0	1.0	0.83	2.370	2.9
Including	279.0	280.0	1.0	0.83	2.650	2.5
PF18-99	106.0	110.0	4.0	3.33	0.274	1.725
PF18-99	114.0	115.0	1.0	0.83	0.327	2.1
PF18-99	123.0	132.0	9.0	7.50	0.795	5.167
Including	124.0	125.0	1.0	0.83	0.608	2.9
Including	125.0	126.0	1.0	0.83	1.600	7.4
Including	126.0	127.0	1.0	0.83	0.766	1.7
Including	127.0	128.0	1.0	0.83	0.513	1.5
Including	128.0	129.0	1.0	0.83	0.543	1.7
Including	129.0	130.0	1.0	0.83	0.734	5.2
Including	130.0	131.0	1.0	0.83	0.899	7.7
Including	131.0	132.0	1.0	0.83	1.100	14.1
PF18-100	0.88	90.0	2.0	1.660	0.527	10.05
Including	88.8	89.0	1.0	0.83	0.740	10.0
Including	89.0	90.0	1.0	0.83	0.314	10.1
PF18-100	105.0	106.0	1.0	0.83	0.307	7.3

Table 2 – Plomp Farm West Gold project – Collar Locations for Q4 2018 Diamond Drilling

Collar location (UTM NAD 83)	Collar orientation		
Northing Easting	Dip	Azimuth	EOH depth (m)
5513153 490743	-50	340	201
5513153 490743	-45	360	189
5513148 490803	-50	360	192
5513181 490845	-50	360	150
5513184 490942	-50	360	159
5513172 490999	-50	360	150
5513175 491060	-50	360	168
5513175 491105	-50	360	174
5513050 490070	-50	340	156
5513055 490150	-50	360	255
5513045 490245	-50	360	255
5513045 490245	-50	020	277
5513068 490282	-50	035	309
	(UTM NAD 83) Northing Easting 5513153 490743 5513153 490743 5513148 490803 5513181 490845 5513184 490942 5513172 490999 5513175 491105 5513050 490070 5513055 490150 5513045 490245 5513045 490245	7.01	(UTM NAD 83)  Northing Easting Dip Azimuth 5513153 490743 -50 340 5513153 490743 -45 360 5513148 490803 -50 360 5513181 490845 -50 360 5513172 490999 -50 360 5513175 491105 -50 360 5513055 490150 -50 360 5513045 490245 -50 360 5513045 490245 -50 020

21.04.2025 Seite 3/5

PF18-99	5513120 490255 -50	360	132
PF18-100	5513120 490195 -50	360	120

Sampling consisted of sawing the core in equal halves along the main axis and shipping one of the halves to the Activation Laboratories preparation in Dryden Ontario. The samples are crushed and pulverized before being sent to Activation Laboratories analytical facility in Thunder Bay Ontario for analysis for gold by fire assay with ICP finish on 50 g aliquot. All remaining elements were analyzed with an aqua regia digestion and multi-element ICP. Champion Bear uses a comprehensive QA/QC protocol, including the insertion of blanks, standards and pulp duplicates.

Mr. Todd McCracken, PGeo, Manager-Mining, WSP Canada Inc. is the qualified person ("QP") under the meaning of Canadian National Instrument 43-101 *Standards for Disclosure of Mineral Projects*, has reviewed and is responsible for the technical content of this news release.

On Behalf of the Company,

Richard Kantor, Chairman and President

for further information, please contact Champion Bear at +1-403-229-9522.

Champion Bear is a mineral exploration company focused exclusively on the historically prospective regions of Ontario. The Company's primary targets are platinum group metals, precious metals, and polymetallic base metals deposits. Champion Bear's aim is to create shareholder value through selective property acquisition followed by focused exploration emphasizing drilling. The Company has assembled a large land position in the Dryden and Sudbury areas, totaling over 16,000 hectares. Additional information about Champion Bear can be found on the Company's website at www.championbear.com and on SEDAR at www.sedar.com.

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

## CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION:

This news release includes certain &Idquo; forward-looking statements " under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All statements that address future plans, activities, events, or developments that the Company believes, expects or anticipates will or may occur are forward-looking information, including statements regarding the realization of the preliminary economic analysis for the Project, expectations of future cash flows, the proposed plant expansion, potential expansion of resources and the generation of further drilling results which may or may not occur. Forward-looking statements and information contained herein are based on certain factors and assumptions regarding, among other things, the market price of the Company's securities, metal prices, exchange rates, taxation, the estimation, timing and amount of future exploration and development, capital and operating costs, the availability of financing, the receipt of regulatory approvals, environmental risks, title disputes, failure of plant, equipment or processes to operate as anticipated, accidents, labour disputes, claims and limitations on insurance coverage and other risks of the mining industry, changes in national and local government regulation of mining operations, and regulations and other matters.. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

A photo accompanying this announcement is available at http://www.globenewswire.com/NewsRoom/AttachmentNg/da8ee4d0-8883-4cf8-92b4-210708e47327

21.04.2025 Seite 4/5

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:
https://www.rohstoff-welt.de/news/317342--Champion-Bear-Announces-Drilling-Results-from-Plomp-Farm-West-Gold-Project.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere <a href="AGB/Disclaimer">AGB/Disclaimer</a>!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

21.04.2025 Seite 5/5