

# Benchmark Intersects New Zone Including High-Grades of 2,360 g/t Silver and 11.30 g/t Gold Over 1 Metre

11.02.2020 | [Newsfile](#)

Edmonton, February 11, 2020 - [Benchmark Metals Inc.](#) (TSXV: BNCH) (OTCQB: CYRTF) (WKN: A2JM2X) (the "Company" or "Benchmark") is pleased to report continued drilling success at the Amethyst Gold breccia (AGB) Zone. Intersections include the discovery of new parallel zones in addition to along strike and down-dip extensions of both broad bulk-tonnage and high-grade mineralization. Drill hole 19AGBDD004 intersected 1.38 g/t gold and 50.76 g/t silver or 2.02 g/t AuEq across 50.00 metres core length and 11.30 g/t gold and 2,360 g/t silver or 40.8 g/t AuEq across 1 metre core length from a deeper zone (Table 1). This result in conjunction with nine holes drilled at AGB in 2019 expanded the zone to a drill indicated strike length of over 550 metres and 170 metres vertical depth. The Lawyers Project is situated in the Stikine Terrane of northern British Columbia, Canada, and falls within the prolific, mineral endowed 'Golden Horseshoe'.

John Williamson, CEO commented, "The 2019 drilling at AGB has discovered new mineralized zones, characterized by different styles of mineralization, which include both high grade and bulk-tonnage intervals. As a discrete zone, AGB is showing some of the highest-grade potential across the Lawyers Trend including 2019 results that provided 5.01 AuEq across 25 metres core length and 47.21 AuEq across 2.95 metres core length.

Historically the mineralization targeted by drilling at AGB is characterized by multi-phase veining, silicification and brecciation and is known as the "amethyst gold breccia". This style of mineralization is characteristically ~15-25m wide and hosted in a quartz eye tuff unit, occurring in the footwall of a major fault zone. Benchmark's 2019 drilling at AGB discovered a second zone characterized by more discrete veinlets bearing Au-Ag and sulfide minerals, that is hosted higher in the stratigraphy, in the porphyritic andesite and interbedded volcanic sediments. This new zone was intersected in seven of the 2019 drill holes at AGB, including 350m along strike to the south in drill hole 19AGBDD009.

Drill holes 19AGBDD009 and 19AGBDD010 define the southern extent of the AGB zone and were designed to test below historical surface channel sample results of 5.13 g/t gold and 20.79 g/t silver over 27.03 metres core length. Drill hole 19AGBDD009 intersected significant mineralization: 1.41 g/t gold and 27.49 g/t silver or 1.76 g/t AuEq across 22.00 metres core length, including 4.35 g/t gold and 39.64 g/t silver or 4.84 g/t AuEq across 2.35 metres core length. This result is 350 metres south of historical workings and provides strong evidence the mineralizing system remains robust and open to the south.

Table #1 -2019 AGB Drill Results.

Hole	From(m)	To (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)*	Interval (m)**
19AGBDD001***	210.00	235.00	2.79	177.42	5.01	25.00
including	212.00	219.00	5.37	213.66	8.04	7.00
and	232.90	235.00	10.02	654.43	18.20	2.10
19AGBDD002***	37.00	152.64	0.74	23.28	1.03	115.64
including	52.00	129.00	1.06	28.45	1.41	77.00
19AGBDD003	298.00	299.00	0.18	175.00	2.37	1.00
19AGBDD004	164.00	214.00	1.38	50.76	2.02	50.00
including	164.00	165.00	9.08	69.40	9.95	1.00
and	193.00	196.00	7.03	176.73	9.24	3.00
including	195.00	196.00	17.55	148.00	19.40	1.00
and	206.00	207.00	7.29	42.60	7.82	1.00
and	252.00	256.15	2.94	635.63	10.89	4.15
including	253.70	254.70	11.30	2360.00	40.80	1.00

19AGBDD005	182.00	283.00	0.20	24.80	0.51	101.00
including	182.00	190.00	0.48	54.85	1.17	8.00
and	202.00	204.00	2.45	15.75	2.65	2.00
and	266.00	267.00	0.09	279.00	3.58	1.00
and	276.85	283.00	0.53	64.39	1.34	6.15
19AGBDD006	205.00	221.00	1.55	17.86	1.77	16.00
including	209.00	218.00	2.67	19.27	2.91	9.00
including	212.10	218.00	4.08	29.40	4.44	5.90
including	212.10	213.30	12.20	27.20	12.54	1.20
and	236.00	276.00	0.82	61.44	1.58	40.00
including	244.37	258.75	1.32	86.40	2.40	14.38
and	266.00	271.62	1.39	114.94	2.83	5.62
19AGBDD007***	116.00	225.34	0.45	26.03	0.78	109.34
including	122.00	164.15	1.10	41.62	1.62	42.15
including	122.00	130.00	3.61	26.83	3.94	8.00
and	230.05	245.00	6.01	282.62	9.55	14.95
including	230.05	233.00	30.2	1361.00	47.21	2.95
19AGBDD008	125.92	199.00	0.40	29.48	0.77	73.08
including	129.00	149.00	0.89	31.44	1.29	20.00
and	165.00	175.00	0.52	43.48	1.07	10.00
19AGBDD009	3.00	25.00	1.41	27.49	1.76	22.00
including	15.65	18.00	4.35	39.64	4.84	2.35
19AGBDD010	16.00	17.00	0.64	7.53	0.74	1.00
and	20.00	21.00	0.67	5.70	0.74	1.00
and	23.00	24.00	0.27	36.30	0.73	1.00

\*Using an 80 to 1 ratio of silver to gold \$/oz

\*\*Intervals are core-length. True width is estimated between 80 to 90% of core length.

\*\*\*Drill hole results already reported

Figure 1: Plan view map of 2019 drilling at the AGB zone

To view an enhanced version of Figure 1, please visit:

[https://orders.newsfilecorp.com/files/6169/52307\\_03d0fb76743baa5d\\_001full.jpg](https://orders.newsfilecorp.com/files/6169/52307_03d0fb76743baa5d_001full.jpg)

Figure 2: Cross-section of 19AGBDD004 and 005.

To view an enhanced version of this Figure 2, please visit:

[https://orders.newsfilecorp.com/files/6169/52307\\_03d0fb76743baa5d\\_002full.jpg](https://orders.newsfilecorp.com/files/6169/52307_03d0fb76743baa5d_002full.jpg)

## Quality Assurance and Control

Results from samples were analyzed at ALS Global Laboratories (Geochemistry Division) in Vancouver, Canada (an ISO 9001:2008 accredited facility). The sampling program was undertaken by Company personnel under the direction of Rob L'Heureux, P.Geol. A secure chain of custody is maintained in transporting and storing of all samples. Gold was assayed using a fire assay with atomic emission spectrometry and gravimetric finish when required (+10 g/t Au). Analysis by four acid digestion with 48 element ICP-MS analysis was conducted on all samples with silver and base metal over-limits being re-analyzed by atomic absorption or emission spectrometry. Rock chip samples from outcrop/bedrock are selective by nature and may not be representative of the mineralization hosted on the project.

The technical content of this news release has been reviewed and approved by Michael Dufresne, P.Geol., P.Geo., a qualified person as defined by National Instrument 43-101.

## About Benchmark Metals Inc.

Benchmark is a Canadian mineral exploration company with its common shares listed for trading on the TSX Venture Exchange in Canada, the OTCQB Venture Market in the United States, and the Tradedate Exchange in Europe. Benchmark is managed by proven resource sector professionals, who have a track record of advancing exploration projects from grassroots scenarios through to production.

## ON BEHALF OF THE BOARD OF DIRECTORS

s/ "John Williamson"  
John Williamson, Chief Executive Officer

For further information, please contact:  
Jim Greig  
Email: [jimg@BNCHmetals.com](mailto:jimg@BNCHmetals.com)  
Telephone: +1 604 260 6977

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

This news release may contain certain "forward looking statements". Forward-looking statements involve known and unknown risks, uncertainties, assumptions and other factors that may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Any forward-looking statement speaks only as of the date of this news release and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/52307>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/344217--Benchmark-Intersects-New-Zone-Including-High-Grades-of-2360-g-t-Silver-and-11.30-g-t-Gold-Over-1-Metre.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).