

Amani Gold Drilling Confirms Broad Gold Mineralization Zones at Kebigada 4.1moz Gold Deposit

19.04.2022 | [ACCESS Newswire](#)

DRILLHOLE GRDD037 CONFIRMS BROAD GOLD MINERALIZATION ZONES AT KEBIGADA

201m @ 0.97g/t Au intersected from surface

Highlights

- Amani Gold's 2022 diamond drilling campaign continues to confirm broad gold mineralization zones within the 4.1Moz Kebigada ore body.
- Diamond drillhole GRDD037 has intersected 201m @ 0.97g/t Au from surface.
- Significant drill assays:
 - 201m @ 0.97g/t Au from surface including
 - 20.85m @ 2.05g/t Au from 82.20m
 - 41m @ 1.30g/t Au from 125m
 - 25.06m @ 0.64g/t from 309m
- Drilling has again intersected mineralization at depth beyond the current 2020 resource.
- The final 34.5m of samples for GRDD037 are still to be assayed.

PERTH, April 19, 2022 - [Amani Gold Ltd.](#) (ASX:ANL) ("Amani" or "the Company") is pleased to announce assay results for GRDD037, the second of eight diamond holes to be drilled at the Company's 4.1Moz Kebigada deposit.

GRDD037 intended to target high grade gold mineralization zones within the existing resource area and depth extensions of the Kebigada Central Ore Body.

Assays results have returned a number of broad gold mineralization zones within the existing ore body including 201m@0.97g/t from surface containing a higher grade intersection of 20.85m@2.05g/t Au from 82.2m. Drilling at depth intersected a mineralized zone beyond the current resource (see Table 1 and Figure 1) and further drilling will be to test the grade and extent of this mineralization along strike.

Assays results were returned to a depth of 479m with the final 34.5m for GRDD037 to be dispatched to the lab for assay with the samples for the third diamond hole in the program (GRDD038).

The Company has also received assay results for the final 76.16m of diamond hole GRDD036. The assay results delineated a mineralized zone until end of hole. Significant intercepts are included below in Table 6.

On the Drill Results, Amani Chief Executive Officer Conrad Karageorge commented:

"Our 2022 diamond drill program has continued to confirm broad zones of gold mineralization within the existing ore body as well extensions to the existing 4.1Moz gold resource.

We look forward to updating shareholders with the results of the final six diamond holes and our RC drilling campaign."

TABLE 1 - DRILLHOLE SUMMARY

Hole ID	Easting	Northing	Elevation End-of-Hole		Azimuth	Dip Line
			(m)	(m)		
GRDD036	748971	344313	852.04	551.16	43	-55 725N
GRDD037	749061	344258	859	513.50	43	-55 650N

TABLE 2 - SIGNIFICANT INTERCEPTS

Hole ID	From	To	Interval Gold Grade	
	(m)	(m)	(m)	(g/t)
GRDD037	0.00	201.00	201.00	0.97
including	82.20	103.05	20.85	2.05
and	125.00	166.00	41.00	1.30
GRDD037	309.00	334.06	25.06	0.64

Drilling Progress

Amani has now completed 3 of the 8 diamond drillholes planned at the Kebigada deposit for H1/22 with assay results pending for diamond hole GRDD038. The Company is currently completing drilling of hole GRDD039.

The goal of the diamond program is to test the continuity of identified mineralization along strike and down dip of the COB confirmed in previously drilled diamond holes and depth extensions of broad mineralized zones within the EOB that were outlined in previous RC drilling completed in 2017.

RC drilling preparation continues with drilling anticipated to commence in May 2022 at Kebigada South-East. The RC drilling campaign aims to define potential high grade satellite deposits Kebigada South-East and Congo Ya Sika which do not currently form part of the Giro project resource.

About Giro Gold Project

The Giro Gold Project comprises two exploration permits covering a surface area of 497km² and lies within the Kilo-Moto Belt of the DRC, a significant under-explored greenstone belt which hosts Randgold Resources' 17 million-ounce Kibali group of deposits within 35km of Giro. The nearby Kibali Gold Project produces more than 600,000oz gold per annum.

The Giro Gold Project area is underlain by highly prospective volcano-sedimentary lithologies in a similar structural and lithological setting as the Kibali gold deposits. Both primary and alluvial gold was mined from two main areas, the Giro and Tora areas, during Belgian rule and today. Giro Gold Project global resource for Kebigada and Douze Match deposits exceeds 4.4Moz contained gold; with a total Indicated and Inferred Mineral Resource Estimate of 132Mt @ 1.04g/t Au, for 4.4Moz gold (0.5g/t Au cut-off grade). The Kebigada resource followed diamond core drilling results which successfully targeted deeper high-grade sulphide associated gold mineralisation within the central core of the Kebigada deposit. Drillholes GRDD034 and GRDD035 are 240m apart and both outlined high-grade gold mineralisation deeper than previously intersected at the Kebigada deposit. These gold assay results and the current Kebigada MRE indicate the potential for the Kebigada deposit to substantially grow via targeted deeper drilling along the entire strike of the orebody.

TABLE 3 - GIRO GOLD PROJECT GLOBAL MRE AT 0.5 G/T AU CUT-OFF GRADE (H&SC)

	Kebigada Deposit			Douze Match Deposit			Combined		
Classification		Au	Au		Au	Au		Au	Au
	Tonnes (Mt)			Tonnes (Mt)			Tonnes (Mt)		
		(g/t)	(Moz)		(g/t)	(Moz)		(g/t)	(Moz)
Indicated	69	1.09	2.4	2.2	1.2	0.09	71	1.10	2.5
Inferred	54	0.95	1.7	5.8	1.2	0.23	60	0.98	1.9
Total	124	1.03	4.1	8.1	1.2	0.32	132	1.04	4.4

TABLE 4 - GRADE TONNAGE DATA FOR KEBIGADA MRE (H&SC)

Cut-off	Tonnes	Au	Au
(Au g/t)	(Mt)	(g/t)	(Moz)
0.0	429.6	0.45	6.19
0.3	205.8	0.78	5.13
0.4	158.8	0.90	4.61
0.5	123.7	1.03	4.10
0.6	98.2	1.16	3.65
0.7	78.4	1.29	3.24
0.8	62.8	1.42	2.86
0.9	50.5	1.56	2.53
1.0	41.0	1.70	2.24
1.2	27.9	1.98	1.78
1.3	23.4	2.12	1.60
1.5	17.0	2.40	1.31
2.0	8.7	3.04	0.85

This ASX announcement has been authorised for release by the board of [Amani Gold Ltd.](#)

-ENDS-

For more information contact:

Mr Conrad Karageorge
Chief Executive Officer
+61 8 8186 3002
conrad@amanigold.com

Website: www.amanigold.com

Competent Person's Statement - Exploration Results

The information in this report that relates to exploration results is based on, and fairly represents information and supporting documentation prepared by Mr Ross Corben, a Competent Person who is a fellow of the Australasian Institute of Mining and Metallurgy. Mr Corben is an independent consultant. He has sufficient experience that is relevant to the style of mineralisation and type of deposits under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resource and Ore Reserves". Mr Corben takes responsibility for the drill hole data that underpins the Mineral Resource estimate. Mr Corben consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

Competent Person's Statement - Mineral Resource Estimate

The information in this Report that relates to Mineral Resource Estimates for the Kebigada deposit is based on information compiled by Mr. Arnold van der Heyden, who is a Member and Chartered Professional (Geology) of the Australian Institute of Mining and Metallurgy and Managing Director of H&S Consultants Pty Ltd and released on the ASX Platform on 19 March 2020.

Mr. van der Heyden has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' (JORC Code). Mr. van der Heyden consents to the inclusion in this report of the matters based on the information in the form and context in which it appears.

Forward Looking Statements

Statements regarding the Company's plans with respect to its mineral properties are forward-looking statements. There can be no assurance that the Company's plans for development of its mineral properties will proceed as currently expected. There can also be no assurance that the Company will be able to confirm the presence of additional mineral deposits, that any mineralisation will prove to be economic or that a mine will successfully be developed on any of the Company's mineral properties.

Previous Disclosure - 2012 JORC Code

Information relating to Mineral Resources, Exploration Targets and Exploration Data associated with previous disclosures relating to the Giro Goldfields Project in this announcement has been extracted from the following ASX Announcements:

- ASX Announcement titled "Project and Operations Update" dated 20 December 2021.
- ASX announcement titled "Diamond Drilling commenced at 4.1Moz Kebigada Gold Deposit" dated 16 December 2021.
- ASX announcement titled "Kebigada Mineral Resource Estimate Exceeds 4Moz Gold Milestone" dated 19 March 2020.
- ASX announcement titled "High Grade Gold Results from Deeper Diamond Core Drilling at Kebigada Deposit Opens Up Mineralisation Model" dated 31 October 2019.
- ASX announcement titled "Phase One Diamond Core Drilling Completed at Kebigada Deposit, Giro Gold Project" dated 11 October 2019.
- ASX announcement titled "Amani Completes MOU over Gada Gold Project with SOKIMO and Commences Exploration" dated 19 August 2019.
- ASX announcement titled "Giro Gold Project Exceeds 3Moz gold, with Douze Match Maiden Mineral Resource Estimate of 320koz gold" dated 10 December 2018.
- ASX announcement titled "Significant results from further infill drilling at Kebigada, Giro Gold Project" dated 17 May 2017.
- ASX announcement titled "Further Significant results from infill drilling at Kebigada, Giro Gold Project" dated 4 May 2017.

Copies of reports are available to view on the Amani Limited website www.amanigold.com. These reports were issued in accordance with the 2012 Edition of the JORC Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

TABLE 5 - GRDD037 ASSAY RESULTS

Hole ID	From	To	Interval Au (ppm)	
	(m)	(m)		
GRDD037	0.00	1.00	1.00	1.19
GRDD037	1.00	2.00	1.00	1.18
GRDD037	2.00	3.00	1.00	0.92
GRDD037	3.00	4.00	1.00	1.41
GRDD037	4.00	5.00	1.00	0.60
GRDD037	5.00	6.00	1.00	1.33
GRDD037	6.00	7.50	1.50	0.87
GRDD037	7.50	9.00	1.50	0.28
GRDD037	9.00	9.80	0.80	0.50
GRDD037	9.80	11.00	1.20	0.29
GRDD037	11.00	12.00	1.00	0.29
GRDD037	12.00	13.20	1.20	0.14
GRDD037	13.20	14.00	0.80	0.20
GRDD037	14.00	15.00	1.00	0.06
GRDD037	15.00	16.00	1.00	0.07
GRDD037	16.00	17.00	1.00	0.32
GRDD037	17.00	18.10	1.10	0.40
GRDD037	18.10	19.05	0.95	0.13
GRDD037	19.05	20.00	0.95	0.41
GRDD037	20.00	21.00	1.00	0.69
GRDD037	21.00	22.00	1.00	1.77
GRDD037	22.00	23.30	1.30	0.26
GRDD037	23.30	24.00	0.70	0.24

GRDD037	24.00	25.00	1.00	0.51
GRDD037	25.00	26.00	1.00	0.44
GRDD037	26.00	27.25	1.25	0.09
GRDD037	27.25	28.10	0.85	0.08
GRDD037	28.10	29.00	0.90	0.05
GRDD037	29.00	30.25	1.25	0.08
GRDD037	30.25	31.25	1.00	0.35
GRDD037	31.25	32.00	0.75	0.40
GRDD037	32.00	33.00	1.00	0.34
GRDD037	33.00	34.00	1.00	1.51
GRDD037	34.00	35.00	1.00	0.47
GRDD037	35.00	36.00	1.00	0.51
GRDD037	36.00	37.25	1.25	0.47
GRDD037	37.25	38.40	1.15	1.08
GRDD037	38.40	39.50	1.10	0.45
GRDD037	39.50	40.65	1.15	0.58
GRDD037	40.65	41.40	0.75	0.29
GRDD037	41.40	42.00	0.60	0.67
GRDD037	42.00	43.00	1.00	0.72
GRDD037	43.00	44.00	1.00	0.92
GRDD037	44.00	45.00	1.00	0.20
GRDD037	45.00	46.00	1.00	0.96
GRDD037	46.00	47.00	1.00	1.28
GRDD037	47.00	47.95	0.95	1.06
GRDD037	47.95	49.00	1.05	0.37
GRDD037	49.00	50.00	1.00	0.64
GRDD037	50.00	51.00	1.00	0.58
GRDD037	51.00	51.90	0.90	0.34
GRDD037	51.90	53.00	1.10	0.80
GRDD037				

53.00

54.00

0.41

GRDD037	54.00	55.00	1.00	2.52
GRDD037	55.00	56.00	1.00	1.33
GRDD037	56.00	57.15	1.15	0.93
GRDD037	57.15	58.00	0.85	0.51
GRDD037	58.00	59.00	1.00	0.46
GRDD037	59.00	60.00	1.00	0.62
GRDD037	60.00	61.15	1.15	1.26
GRDD037	61.15	62.00	0.85	1.48
GRDD037	62.00	62.85	0.85	0.81
GRDD037	62.85	63.95	1.10	1.01
GRDD037	63.95	65.00	1.05	0.67
GRDD037	65.00	66.05	1.05	0.32
GRDD037	66.05	66.90	0.85	0.44
GRDD037	66.90	68.25	1.35	1.29
GRDD037	68.25	69.35	1.10	1.14
GRDD037	69.35	70.10	0.75	0.12
GRDD037	70.10	71.10	1.00	0.34
GRDD037	71.10	73.00	1.90	0.11
GRDD037	73.00	75.05	2.05	0.03
GRDD037	75.05	77.00	1.95	0.02
GRDD037	77.00	79.00	2.00	0.02
GRDD037	79.00	81.00	2.00	0.02
GRDD037	81.00	82.20	1.20	0.08
GRDD037	82.20	83.00	0.80	4.80
GRDD037	83.00	84.15	1.15	0.89
GRDD037	84.15	85.20	1.05	0.97
GRDD037	85.20	86.00	0.80	0.56
GRDD037	86.00	87.05	1.05	2.37
GRDD037	87.05	88.15	1.10	0.57
GRDD037				

89.00

0.85

0.31

GRDD037	89.00	90.00	1.00	0.51
GRDD037	90.00	91.10	1.10	0.31
GRDD037	91.10	92.00	0.90	1.08
GRDD037	92.00	93.20	1.20	0.95
GRDD037	93.20	93.90	0.70	2.40
GRDD037	93.90	94.77	0.87	1.61
GRDD037	94.77	95.90	1.13	0.73
GRDD037	95.90	96.85	0.95	0.99
GRDD037	96.85	98.00	1.15	0.58
GRDD037	98.00	98.90	0.90	7.55
GRDD037	98.90	100.00	1.10	0.95
GRDD037	100.00	101.00	1.00	0.67
GRDD037	101.00	102.00	1.00	3.12
GRDD037	102.00	103.05	1.05	12.30
GRDD037	103.05	104.00	0.95	1.37
GRDD037	104.00	104.90	0.90	0.99
GRDD037	104.90	105.80	0.90	0.81
GRDD037	105.80	107.00	1.20	1.16
GRDD037	107.00	108.00	1.00	2.00
GRDD037	108.00	108.90	0.90	1.00
GRDD037	108.90	110.25	1.35	0.93
GRDD037	110.25	111.15	0.90	0.56
GRDD037	111.15	112.05	0.90	0.60
GRDD037	112.05	113.00	0.95	0.63
GRDD037	113.00	113.85	0.85	0.44
GRDD037	113.85	114.75	0.90	1.53
GRDD037	114.75	115.80	1.05	1.29
GRDD037	115.80	116.90	1.10	0.52
GRDD037	116.90	118.00	1.10	0.35
GRDD037				

118.00

119.00

1.00

0.38

GRDD037	119.00	120.05	1.05	0.67
GRDD037	120.05	120.95	0.90	0.44
GRDD037	120.95	122.00	1.05	0.47
GRDD037	122.00	123.15	1.15	0.62
GRDD037	123.15	123.90	0.75	1.58
GRDD037	123.90	125.00	1.10	0.57
GRDD037	125.00	126.10	1.10	1.07
GRDD037	126.10	127.05	0.95	0.35
GRDD037	127.05	128.00	0.95	0.49
GRDD037	128.00	128.90	0.90	1.12
GRDD037	128.90	130.10	1.20	0.70
GRDD037	130.10	131.00	0.90	1.09
GRDD037	131.00	131.80	0.80	1.15
GRDD037	131.80	133.00	1.20	0.64
GRDD037	133.00	134.00	1.00	1.03
GRDD037	134.00	135.00	1.00	0.77
GRDD037	135.00	136.10	1.10	1.97
GRDD037	136.10	137.00	0.90	0.78
GRDD037	137.00	137.80	0.80	1.31
GRDD037	137.80	138.35	0.55	2.54
GRDD037	138.35	139.25	0.90	2.86
GRDD037	139.25	139.90	0.65	1.97
GRDD037	139.90	141.15	1.25	1.97
GRDD037	141.15	142.15	1.00	0.91
GRDD037	142.15	143.00	0.85	1.30
GRDD037	143.00	144.00	1.00	0.87
GRDD037	144.00	144.90	0.90	1.30
GRDD037	144.90	146.00	1.10	1.00
GRDD037	146.00	147.00	1.00	0.76
GRDD037				

147.00

147.90

0.53

GRDD037	147.90	149.00	1.10	1.71
GRDD037	149.00	150.00	1.00	0.61
GRDD037	150.00	150.95	0.95	1.34
GRDD037	150.95	152.00	1.05	1.14
GRDD037	152.00	153.05	1.05	2.08
GRDD037	153.05	153.85	0.80	1.20
GRDD037	153.85	154.80	0.95	1.23
GRDD037	154.80	155.85	1.05	1.40
GRDD037	155.85	156.80	0.95	1.32
GRDD037	156.80	157.75	0.95	1.44
GRDD037	157.75	158.77	1.02	1.73
GRDD037	158.77	159.85	1.08	2.66
GRDD037	159.85	160.85	1.00	0.54
GRDD037	160.85	162.00	1.15	0.86
GRDD037	162.00	162.90	0.90	2.44
GRDD037	162.90	164.00	1.10	0.62
GRDD037	164.00	164.89	0.89	1.59
GRDD037	164.89	166.00	1.11	2.88
GRDD037	166.00	166.85	0.85	1.09
GRDD037	166.85	167.80	0.95	0.20
GRDD037	167.80	168.75	0.95	0.21
GRDD037	168.75	170.00	1.25	0.56
GRDD037	170.00	171.10	1.10	1.28
GRDD037	171.10	172.05	0.95	1.58
GRDD037	172.05	173.00	0.95	1.60
GRDD037	173.00	174.00	1.00	1.09
GRDD037	174.00	174.95	0.95	1.50
GRDD037	174.95	176.00	1.05	1.80
GRDD037	176.00	177.00	1.00	0.17
GRDD037				

177.00

178.05

0.40

GRDD037	178.05	179.00	0.95	0.29
GRDD037	179.00	180.05	1.05	2.60
GRDD037	180.05	181.00	0.95	1.30
GRDD037	181.00	182.00	1.00	2.41
GRDD037	182.00	182.95	0.95	0.29
GRDD037	182.95	183.95	1.00	1.16
GRDD037	183.95	185.00	1.05	0.64
GRDD037	185.00	186.00	1.00	0.79
GRDD037	186.00	186.85	0.85	1.30
GRDD037	186.85	188.00	1.15	0.99
GRDD037	188.00	188.90	0.90	0.95
GRDD037	188.90	190.00	1.10	0.53
GRDD037	190.00	191.00	1.00	0.98
GRDD037	191.00	192.10	1.10	0.99
GRDD037	192.10	192.85	0.75	0.92
GRDD037	192.85	194.00	1.15	0.50
GRDD037	194.00	194.98	0.98	1.66
GRDD037	194.98	195.90	0.92	0.84
GRDD037	195.90	197.00	1.10	0.43
GRDD037	197.00	197.95	0.95	0.44
GRDD037	197.95	199.10	1.15	0.49
GRDD037	199.10	200.00	0.90	0.75
GRDD037	200.00	201.00	1.00	1.02
GRDD037	201.00	203.00	2.00	0.16
GRDD037	203.00	205.05	2.05	0.02
GRDD037	205.05	207.10	2.05	0.01
GRDD037	207.10	209.00	1.90	0.06
GRDD037	209.00	211.00	2.00	0.02
GRDD037	211.00	212.00	1.00	0.07
GRDD037				

212.00

213.02

GRDD037	213.02	214.03	1.01	0.63
GRDD037	214.03	215.00	0.97	0.87
GRDD037	215.00	216.00	1.00	1.23
GRDD037	216.00	216.95	0.95	0.12
GRDD037	216.95	218.95	2.00	0.34
GRDD037	218.95	220.12	1.17	0.27
GRDD037	220.12	221.00	0.88	0.29
GRDD037	221.00	222.10	1.10	0.48
GRDD037	222.10	222.95	0.85	0.32
GRDD037	222.95	224.00	1.05	0.28
GRDD037	224.00	225.12	1.12	0.41
GRDD037	225.12	225.96	0.84	0.46
GRDD037	225.96	227.00	1.04	0.26
GRDD037	227.00	227.90	0.90	0.26
GRDD037	227.90	228.88	0.98	0.21
GRDD037	228.88	230.00	1.12	0.14
GRDD037	230.00	230.98	0.98	0.17
GRDD037	230.98	232.00	1.02	0.10
GRDD037	232.00	234.07	2.07	0.01
GRDD037	234.07	236.00	1.93	0.03
GRDD037	236.00	237.85	1.85	0.02
GRDD037	237.85	240.00	2.15	0.01
GRDD037	240.00	241.75	1.75	0.02
GRDD037	241.75	243.00	1.25	0.07
GRDD037	243.00	244.07	1.07	0.10
GRDD037	244.07	245.00	0.93	0.37
GRDD037	245.00	246.00	1.00	0.18
GRDD037	246.00	247.00	1.00	0.08
GRDD037	247.00	248.00	1.00	0.07
GRDD037				

248.00

248.93

0.08

GRDD037	248.93	250.02	1.09	0.40
GRDD037	250.02	251.00	0.98	0.16
GRDD037	251.00	251.97	0.97	0.11
GRDD037	251.97	253.00	1.03	0.24
GRDD037	253.00	254.00	1.00	0.09
GRDD037	254.00	255.10	1.10	0.16
GRDD037	255.10	256.00	0.90	0.13
GRDD037	256.00	257.00	1.00	0.09
GRDD037	257.00	258.10	1.10	0.06
GRDD037	258.10	259.00	0.90	0.08
GRDD037	259.00	260.00	1.00	0.05
GRDD037	260.00	261.00	1.00	0.04
GRDD037	261.00	262.00	1.00	0.08
GRDD037	262.00	263.00	1.00	0.03
GRDD037	263.00	263.95	0.95	0.02
GRDD037	263.95	265.00	1.05	0.08
GRDD037	265.00	266.00	1.00	0.02
GRDD037	266.00	266.90	0.90	0.04
GRDD037	266.90	268.05	1.15	0.04
GRDD037	268.05	269.00	0.95	0.03
GRDD037	269.00	269.80	0.80	0.06
GRDD037	269.80	270.90	1.10	0.36
GRDD037	270.90	272.00	1.10	0.10
GRDD037	272.00	273.00	1.00	0.02
GRDD037	273.00	273.95	0.95	0.01
GRDD037	273.95	275.00	1.05	0.01
GRDD037	275.00	276.00	1.00	0.27
GRDD037	276.00	276.80	0.80	0.90
GRDD037	276.80	278.00	1.20	0.25
GRDD037				

278.00

279.03

GRDD037	279.03	279.80	0.77	0.06
GRDD037	279.80	281.00	1.20	0.02
GRDD037	281.00	282.18	1.18	0.03
GRDD037	282.18	283.00	0.82	0.02
GRDD037	283.00	284.00	1.00	0.02
GRDD037	284.00	285.15	1.15	0.01
GRDD037	285.15	286.10	0.95	0.01
GRDD037	286.10	287.00	0.90	0.02
GRDD037	287.00	288.18	1.18	0.07
GRDD037	288.18	289.22	1.04	0.01
GRDD037	289.22	290.27	1.05	0.02
GRDD037	290.27	291.25	0.98	0.01
GRDD037	291.25	292.10	0.85	0.02
GRDD037	292.10	293.16	1.06	0.07
GRDD037	293.16	294.05	0.89	0.12
GRDD037	294.05	295.10	1.05	0.14
GRDD037	295.10	296.00	0.90	0.95
GRDD037	296.00	297.20	1.20	0.19
GRDD037	297.20	298.10	0.90	0.07
GRDD037	298.10	299.00	0.90	0.06
GRDD037	299.00	300.00	1.00	0.39
GRDD037	300.00	301.00	1.00	0.10
GRDD037	301.00	302.00	1.00	0.14
GRDD037	302.00	303.04	1.04	0.10
GRDD037	303.04	304.02	0.98	0.04
GRDD037	304.02	305.00	0.98	0.06
GRDD037	305.00	305.95	0.95	0.09
GRDD037	305.95	306.95	1.00	0.27
GRDD037	306.95	308.00	1.05	0.25
GRDD037				

308.00

309.00

1.00

0.10

GRDD037	309.00	310.23	1.23	1.33
GRDD037	310.23	311.13	0.90	0.39
GRDD037	311.13	312.05	0.92	0.95
GRDD037	312.05	313.18	1.13	0.25
GRDD037	313.18	314.24	1.06	0.12
GRDD037	314.24	315.35	1.11	0.07
GRDD037	315.35	316.40	1.05	2.92
GRDD037	316.40	317.16	0.76	0.72
GRDD037	317.16	318.14	0.98	0.10
GRDD037	318.14	318.92	0.78	0.38
GRDD037	318.92	320.00	1.08	0.20
GRDD037	320.00	321.13	1.13	0.19
GRDD037	321.13	322.18	1.05	0.15
GRDD037	322.18	323.10	0.92	0.15
GRDD037	323.10	324.03	0.93	0.05
GRDD037	324.03	325.35	1.32	0.05
GRDD037	325.35	326.30	0.95	0.06
GRDD037	326.30	327.50	1.20	0.05
GRDD037	327.50	328.48	0.98	0.06
GRDD037	328.48	330.05	1.57	0.09
GRDD037	330.05	331.20	1.15	0.12
GRDD037	331.20	332.23	1.03	0.37
GRDD037	332.23	333.15	0.92	0.15
GRDD037	333.15	334.06	0.91	7.61
GRDD037	334.06	335.00	0.94	0.38
GRDD037	335.00	335.98	0.98	0.12
GRDD037	335.98	337.33	1.35	0.04
GRDD037	337.33	338.75	1.42	0.07
GRDD037	338.75	340.24	1.49	0.03
GRDD037				

340.24

341.08

0.84

0.04

GRDD037	341.08	342.00	0.92	0.04
GRDD037	342.00	342.90	0.90	0.03
GRDD037	342.90	344.00	1.10	0.03
GRDD037	344.00	345.30	1.30	0.42
GRDD037	345.30	346.23	0.93	0.03
GRDD037	346.23	347.18	0.95	0.10
GRDD037	347.18	348.20	1.02	0.02
GRDD037	348.20	349.16	0.96	0.10
GRDD037	349.16	350.00	0.84	0.50
GRDD037	350.00	351.00	1.00	0.31
GRDD037	351.00	352.00	1.00	0.10
GRDD037	352.00	353.00	1.00	0.07
GRDD037	353.00	354.05	1.05	0.11
GRDD037	354.05	354.90	0.85	2.63
GRDD037	354.90	356.00	1.10	0.27
GRDD037	356.00	356.88	0.88	0.06
GRDD037	356.88	357.95	1.07	0.18
GRDD037	357.95	359.00	1.05	0.23
GRDD037	359.00	360.03	1.03	0.12
GRDD037	360.03	361.13	1.10	0.16
GRDD037	361.13	362.00	0.87	0.89
GRDD037	362.00	363.05	1.05	0.13
GRDD037	363.05	364.04	0.99	0.38
GRDD037	364.04	365.00	0.96	0.24
GRDD037	365.00	366.10	1.10	0.52
GRDD037	366.10	367.06	0.96	0.50
GRDD037	367.06	368.00	0.94	0.13
GRDD037	368.00	368.90	0.90	0.11
GRDD037	368.90	369.85	0.95	0.04
GRDD037				

369.85

371.00

0.09

GRDD037	371.00	372.16	1.16	0.25
GRDD037	372.16	373.00	0.84	0.21
GRDD037	373.00	374.00	1.00	0.26
GRDD037	374.00	374.96	0.96	0.06
GRDD037	374.96	376.06	1.10	0.09
GRDD037	376.06	377.00	0.94	0.09
GRDD037	377.00	378.32	1.32	0.09
GRDD037	378.32	379.50	1.18	0.70
GRDD037	379.50	380.33	0.83	0.05
GRDD037	380.33	381.23	0.90	0.09
GRDD037	381.23	382.20	0.97	0.10
GRDD037	382.20	383.25	1.05	0.10
GRDD037	383.25	384.35	1.10	0.39
GRDD037	384.35	385.25	0.90	0.26
GRDD037	385.25	386.25	1.00	0.18
GRDD037	386.25	387.25	1.00	0.09
GRDD037	387.25	388.05	0.80	0.31
GRDD037	388.05	389.10	1.05	0.18
GRDD037	389.10	390.18	1.08	0.16
GRDD037	390.18	391.14	0.96	0.24
GRDD037	391.14	392.00	0.86	0.13
GRDD037	392.00	392.98	0.98	0.19
GRDD037	392.98	393.92	0.94	0.27
GRDD037	393.92	395.00	1.08	0.19
GRDD037	395.00	396.38	1.38	0.14
GRDD037	396.38	397.24	0.86	0.01
GRDD037	397.24	398.07	0.83	0.16
GRDD037	398.07	399.02	0.95	0.12
GRDD037	399.02	399.70	0.68	0.08
GRDD037				

399.70

400.25

0.55

0.25

GRDD037	400.25	401.40	1.15	0.06
GRDD037	401.40	402.50	1.10	0.11
GRDD037	402.50	403.50	1.00	0.20
GRDD037	403.50	404.55	1.05	0.42
GRDD037	404.55	405.01	0.46	0.21
GRDD037	405.01	405.96	0.95	0.35
GRDD037	405.96	407.00	1.04	0.18
GRDD037	407.00	408.00	1.00	0.19
GRDD037	408.00	409.00	1.00	0.10
GRDD037	409.00	410.00	1.00	0.37
GRDD037	410.00	411.10	1.10	0.34
GRDD037	411.10	411.90	0.80	0.47
GRDD037	411.90	413.00	1.10	0.40
GRDD037	413.00	414.14	1.14	0.33
GRDD037	414.14	415.05	0.91	0.16
GRDD037	415.05	416.00	0.95	0.19
GRDD037	416.00	417.10	1.10	1.10
GRDD037	417.10	418.02	0.92	0.42
GRDD037	418.02	419.00	0.98	0.40
GRDD037	419.00	419.83	0.83	0.17
GRDD037	419.83	421.44	1.61	0.14
GRDD037	421.44	422.31	0.87	0.26
GRDD037	422.31	423.24	0.93	0.21
GRDD037	423.24	424.13	0.89	0.17
GRDD037	424.13	425.00	0.87	0.15
GRDD037	425.00	425.85	0.85	0.29
GRDD037	425.85	426.94	1.09	0.15
GRDD037	426.94	428.00	1.06	0.19
GRDD037	428.00	429.00	1.00	0.18
GRDD037				

429.00

430.00

1.00

0.11

GRDD037	430.00	431.00	1.00	0.18
GRDD037	431.00	432.20	1.20	0.09
GRDD037	432.20	433.04	0.84	0.12
GRDD037	433.04	434.00	0.96	0.14
GRDD037	434.00	435.00	1.00	0.07
GRDD037	435.00	435.92	0.92	0.09
GRDD037	435.92	437.10	1.18	0.37
GRDD037	437.10	438.15	1.05	0.08
GRDD037	438.15	439.30	1.15	0.07
GRDD037	439.30	440.15	0.85	0.27
GRDD037	440.15	441.10	0.95	0.46
GRDD037	441.10	442.01	0.91	0.17
GRDD037	442.01	443.00	0.99	0.19
GRDD037	443.00	444.00	1.00	0.36
GRDD037	444.00	445.20	1.20	0.40
GRDD037	445.20	446.33	1.13	0.13
GRDD037	446.33	447.10	0.77	0.23
GRDD037	447.10	448.20	1.10	0.08
GRDD037	448.20	449.46	1.26	0.21
GRDD037	449.46	450.20	0.74	0.37
GRDD037	450.20	451.30	1.10	0.25
GRDD037	451.30	452.22	0.92	0.16
GRDD037	452.22	453.03	0.81	0.22
GRDD037	453.03	454.00	0.97	0.23
GRDD037	454.00	455.11	1.11	0.55
GRDD037	455.11	456.05	0.94	0.08
GRDD037	456.05	457.00	0.95	0.50
GRDD037	457.00	458.00	1.00	0.39
GRDD037	458.00	459.00	1.00	0.48
GRDD037				

459.00

460.00

0.42

GRDD037	460.00	461.00	1.00	0.30
GRDD037	461.00	462.22	1.22	0.21
GRDD037	462.22	463.07	0.85	0.52
GRDD037	463.07	464.00	0.93	0.16
GRDD037	464.00	464.85	0.85	0.17
GRDD037	464.85	465.96	1.11	0.07
GRDD037	465.96	467.00	1.04	0.12
GRDD037	467.00	468.28	1.28	0.21
GRDD037	468.28	469.26	0.98	0.42
GRDD037	469.26	470.14	0.88	0.31
GRDD037	470.14	471.50	1.36	0.30
GRDD037	471.50	473.00	1.50	0.19
GRDD037	473.00	474.00	1.00	0.11
GRDD037	474.00	475.24	1.24	0.57
GRDD037	475.24	476.15	0.91	1.06
GRDD037	476.15	477.03	0.88	0.09
GRDD037	477.03	477.85	0.82	0.19
GRDD037	477.85	479.00	1.15	0.14

TABLE 6 - GRDD036 ASSAY RESULTS

Hole ID	From	To	Interval	Au (ppm)
	(m)	(m)		
GRDD036	487.00	489.25	2.25	0.71
GRDD036	528.22	533.12	4.90	0.71

JORC Code, 2012 Edition - Table 1

Section 1 Sampling Techniques and Data

Criteria

JORC Code explanation

Sampling techniques

- Nature and quality of sampling (eg cut channels, random ch
- Include reference to measures taken to ensure sample repre
- Aspects of the determination of mineralisation that are Mate
- In cases where 'industry standard' work has been done this

Drilling techniques

- Drill type (eg core, reverse circulation, open-hole hammer, r

Drill sample recovery

- Method of recording and assessing core and chip sample re
- Measures taken to maximise sample recovery and ensure re
- Whether a relationship exists between sample recovery and

Logging

- Whether core and chip samples have been geologically and
- Whether logging is qualitative or quantitative in nature. Core
- The total length and percentage of the relevant intersections

Sub-sampling techniques and sample preparation

- If core, whether cut or sawn and whether quarter, half or all
- If non-core, whether riffled, tube sampled, rotary split, etc an
- For all sample types, the nature, quality and appropriateness
- Quality control procedures adopted for all sub-sampling stag
- Measures taken to ensure that the sampling is representative
- Whether sample sizes are appropriate to the grain size of th

Criteria

JORC Code explanation

Quality of assay data and laboratory tests

- The nature, quality and appropriateness of the assaying and
- For geophysical tools, spectrometers, handheld XRF instruments
- Nature of quality control procedures adopted (eg standards, recovery, blanks, duplicates, standards, etc)

Verification of sampling and assaying

- The verification of significant intersections by either independent or experienced geologists and/or engineers
- The use of twinned holes.
- Documentation of primary data, data entry procedures, data verification, appropriate sampling and assaying techniques and equipment
- Discuss any adjustment to assay data.

Location of data points

- Accuracy and quality of surveys used to locate drill holes (collar/spool location, elevation and orientation)
- Specification of the grid system used.
- Quality and adequacy of topographic control.

Data spacing and distribution

- Data spacing for reporting of Exploration Results.
- Whether the data spacing and distribution is sufficient to estimate the parameters of the resource.
- Whether sample compositing has been applied.

Orientation of data in relation to geological structure

- Whether the orientation of sampling achieves unbiased sampling of relevant structures.
- If the relationship between the drilling orientation and the orientation of the mineralisation has been taken into consideration.

Sample security

- The measures taken to ensure sample security.

Audits or reviews

- The results of any audits or reviews of sampling techniques.

Section 2 Reporting of Exploration Results

Criteria

JORC Code explanation

Mineral tenement and land tenure status

- Type, reference name/number, location and ownership
- The security of the tenure held at the time of reporting

Exploration done by other parties

- Acknowledgment and appraisal of exploration by other parties

Geology

- Deposit type, geological setting and style of mineralisation

Drill hole Information

- A summary of all information material to the understanding of the drill hole
 - easting and northing of the drill hole collar
 - elevation or RL (Reduced Level - elevation above sea level)
 - dip and azimuth of the hole
 - down hole length and interception depth
 - hole length.
- If the exclusion of this information is justified or not

Data aggregation methods

- In reporting Exploration Results, weighting averages
- Where aggregate intercepts incorporate short lengths of mineralisation
- The assumptions used for any reporting of metal grades

Relationship between mineralisation widths and intercept lengths

- These relationships are particularly important in the case of unconsolidated host rocks
- If the geometry of the mineralisation with respect to the drill hole is known
- If it is not known and only the down hole length is reported

Diagrams

- Appropriate maps and sections (with scales) and

Criteria

JORC Code explanation

Balanced reporting

- Where comprehensive reporting of all Exploration

Other substantive exploration data

- Other exploration data, if meaningful and material

Further work

- The nature and scale of planned further work (e.g. for
- Diagrams clearly highlighting the areas of possible

SOURCE: [Amani Gold Ltd.](#)

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/412802--Amani-Gold-Drilling-Confirms-Broad-Gold-Mineralization-Zones-at-Kebigada-4.1moz-Gold-Deposit.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).