Fortune Bay Intersects Near-surface Elevated Radioactivity In Multiple Drill Holes At The Murmac Uranium Project

23.08.2022 | <u>CNW</u>

HALIFAX, Aug. 23, 2022 - Fortune Bay Corp. (TSXV: FOR) (FWB: 5QN) (OTCQX: FTBYF) ("Fortune Bay" or the "Company") is pleased to announce initial drilling results from its maiden exploration drilling program on the 100% owned Murmac Uranium Project ("Murmac" or the "Project"), located in northern Saskatchewan (see Figures 1 and 2).

The drilling program, which tested regional targets across the Project, identified elevated radioactivity in multiple drill holes within favorable geological settings for high-grade, unconformity-related basement-hosted deposits typical of the Athabasca Basin.

Results included near-surface intersections of elevated radioactivity (measured in counts per second or "cps"), between 20 and 150 metres below surface, within prospective graphitic units associated with favourable structure and hydrothermal alteration.

Highlights included:

- 460 cps from 81.2 to 82.7 m (approximately 63 m below surface), including 1,100 cps from 82.0 to 82.3 m in drill hole M22-002.
- 551 cps from 101.9 to 102.5 m (approximately 72 m below surface), including 1,100 cps from 102.2 to 102.3 m in drill hole M22-012.
- 334 cps from 24.7 to 31.6 m (approximately 20 m below surface), including 718 cps from 30.7 to 31.4 m, with 1,00 cps from 30.8 to 30.9 m and 1,000 cps from 31.2 to 31.3 m in drill hole M22-013.
- 443 cps from 36.6 to 39.9 m (approximately 38 m below surface), including 817 cps from 38.5 to 38.8 m, with 1,10 cps from 38.6 to 38.7 m in drill hole M22-014.
- 750 cps from 158.1 to 158.3 m (approximately 148 m below surface), including 1,150 cps from 158.2 to 158.3 m i drill hole M22-015.

"This exploration drilling program represents our first pass testing Murmac for high-grade uranium deposits. The initial results demonstrate we are exploring fertile corridors for these deposits, and importantly, the intersections of elevated radioactivity within a number of drill holes indicate potential proximity to high-grade uranium mineralization. The Project has significant scale with over 30 kilometres of prospective graphitic rocks, and we see potential to make new discover through the follow-up of these results and testing of numerous other targets on the Project." commented Eric Bort, Exploration Manager for Fortune Bay.

Dale Verran, CEO for Fortune Bay, added "Nuclear energy is set to play a critical role in the drive toward a clean energy future, and now is the time to be exploring for uranium resources to meet the demand from the growing number of nuclear reactors globally. The Company's uranium projects present compelling exploration opportunities, with the right geological ingredients for Athabasca Basin basement-hosted uranium deposits, and proximity to local infrastructure with a historical uranium mining district in Saskatchewan."

Drill Program Summary

A total of 15 drill holes (3,168 metres) were completed at Murmac between June 16 and August 7, 2022 to test targets documented in the News Release dated June 16, 2022 along the Pitchvein, Armbruster and Howland Corridors. Drill holes targeted compelling geophysical features selected from VTEMTM (electromagnetic and magnetic) and ground gravity datasets, often associated with favourable structural settings and historical exploration results of interest. Operational efficiencies during the drilling program allowed the Company to increase the previously announced drill meterage from an estimated 2,500 metres to 3,168 metres. Drill hole collar information is summarized in Table 1, drill hole locations are shown in Figure 3, and select drill core photographs are provided in Figure 4 and Figure 5.

Table 1: Murmac Drill Hole Summary

Hole ID Target Easting Northing Dip Azimuth Length (m)

M22-001 H4	6302486587778-45280	251.0
M22-002 A6	6313866590433-50300	197.0
M22-003 A7	631750 6590935 -45 290	221.0
M22-004 H1	629228 6586598 -45 305	161.0
M22-005 A4	6304296589095-45305	290.0
M22-006 H9	6311956589481-45330	176.0
M22-007 H8	632250 6591251 -45 335	176.0
M22-008 H7	6319696590663-45300	176.0
M22-009 A11	628821 6587569 -45 165	275.0
M22-010 P3	6311856593686-45285	275.0
M22-011 H10	6326236592006-45312	200.0
M22-012 H11	633362 6592995 -45 315	176.0
M22-013 P1	6306456593037-45310	270.0
M22-014 P1	630645 6593037 -85 320	126.4
M22-015 A10	6312256590123-70335	198.0

Notes: Coordinates are reported in UTM NAD83 Zone 12N. Azimuth is true north. Target prefix A= Armbruster Corridor; H = Howland Corridor; P = Pitchvein Corridor.

Initial Drill Results

In summary, the drill holes encountered highly favorable geological settings for high-grade basement-hosted deposits associated with the Athabasca Basin. This included:

- Thick and strongly graphitic target units (up to 113 true thickness) often in contact with quartzites, providing favorable competency/rheological contrast.
- Brittle faulting and brecciation were observed within, or proximal to, the graphitic units and were typically associat with favorable hydrothermal alteration including abundant hematite, chlorite, sulphides, clays and/or bleaching.
- Radioactivity >1,000 cps was encountered along all three of the corridors tested (Pitchvein, Armbruster and Howland).

A summary of elevated radioactivity (>300 cps) encountered is provided in Table 2, with descriptions of the relevant lithological, structural and alteration features. Final drill results will be announced following receipt of uranium assay, geochemical and reflectance spectrometry data.

Table 2: Summary of Elevated Radioactivity Intersected

Targe	t Hole ID		From (m)) To (m))cps	Description
A6 M22-00	M22-002		81.2	82.7	460	Disseminated radioactivity along foliation and locally
	i	including	82.0	82.3	1,100) with overlying quartzite. Associated with hematization,
			91.0	91.1	350	chlorite alteration, graphic shearing and radiung.
H1	M22-004		82.8	83.0	375	Disseminated radioactivity in chlorite altered graphitic pelite, proximal to a graphitic fault.
A11	M22-009		134.0	134.6	308	Radioactivity occurs at the base of a semipelite, associated with hematitic brecciation. Significant faulting within hole associated with cross-cutting Heatherington Fault.
H11 M	M22-012		101.9	102.5	551	Disseminated radioactivity within graphitic pelite in a
	i	including		102.3	1,100)
P1 M22-0	M22-013	2-013 24.7 Including 30.7	24.7	31.6	334	Disseminated to fracture-hosted radioactivity, within a graphitic pelite characterized by patchy hematization, chloritic shears, pyrite, local quartz flooding and disseminated sericity provides and day alteration.
			30.7	31.4	718	
		including	31.2	31.3	1,000) continues below zones of radioactivity.
		:	35.8	37.6	402	Drill hole located approximately 225 m SW (along strike)
including 3		36.0	36.1	820	of mineralized intersections from historical core holes, including 1.01% U ₃ O ₈ over 2.0 m (56.0 to 58.0 m in drill hole CKI-	
			44.1	44.6	572	and 2.19% U_3O_8 over 0.5 m (68.0 to 68.5 m in drill hole CKI-10).
in		including 44.3		44.4	860	
	55.6		55.6	58.0	303	
			58.8	59.9	315	
			63.5	64.5	322	
			226.3	227.4	340	Radioactivity associated with vuggy texture in psammite with bleaching hematization, chloritization and elevated pyrite content.
P1 N	M22-014	M22-014	34.7	34.8	310	Disseminated and fracture-controlled radioactivity, within a locally brecciated graphitic pelite with increased sulphide content. Associ with chloritic shearing.
	includir includir		36.6	39.9	443	
		including	38.5	38.8	817	
		including	38.6	38.7	1,100) Designed as a follow-up hole testing approx 50 m
			47.8	48.1	413	down-dip from elevated radioactivity intersected in M22-013.
A10	M22-015 includin		158.1	158.3	750	Elevated radioactivity occurs along shears and fractures.
		including	158.2	158.3	1,150) below zone of radioactivity.
				163.9	330	

Notes: Radioactivity is total gamma from drill core measured with a Super-SPEC RS-125 handheld spectrometer reported in counts per second ("cps"). The cps values are averages for the reported drill interval. The Company considers values > 300 cps to be elevated for the Project based on measurement of background lithologies. Measurements of total gamma cps are an indication of the presence of uranium, thorium and/or potassium, but may not directly correlate with chemical uranium assays. Total gamma cps results are preliminary in nature and may not be used directly to quantify uranium concentrations in the drill core samples. True thicknesses of the drill core intersections are yet to be determined. Target prefix A=

The Company also announces that at its Annual General and Special Meeting of Shareholders (the "Meeting") held on June 20, 2022, the Company's disinterested common shareholders approved the adoption of its amended DSU Plan (the "Plan"). Under the amended Plan, the maximum number of common shares which the Company may issue from treasury in connection with the redemption of DSUs granted under the Plan has been increased from 500,000 to 1,000,000. The Plan is fully described in the Company's management information circular dated May 16, 2022 (the "Circular"). The full text of the Plan is also appended to the Information Circular as Appendix "B", a copy of which has been filed on SEDAR at sedar.com under the Company's profile.

Technical Disclosure

All drilling is being carried out with NQ2 or NQ diameter. Radioactivity measured in counts per second ("cps") has been measured using a Super-SPEC RS-125 Scintillometer. The measurements reported in this News Release are the measurements over 0.1 metre core increments, which is the approximate width of the instrument sensor. Core is removed from the core box and moved, if necessary, to a location where the instrument reads below background, and the measurement is collected by placing the sensor against the core at the required location. Background radioactivity is estimated at 200 cps, and values > 300 cps are considered to be elevated. The oriented drill cores are being subjected to comprehensive logging and sampling to characterize mineralization, alteration and structure. Drill core samples will be submitted to the Saskatchewan Research Council ("SRC") Geoanalytical Laboratories (ISO/IEC 17025:2005 accredited) for uranium assay and multi-element characterization. Reflectance spectrometry will be undertaken on additional core samples to determine the presence of indicator clay alteration.

Unless otherwise stated, the historical results (including drill results) contained within this news release have not been verified and there is a risk that any future confirmation work and exploration may produce results that substantially differ from the historical results. The Company considers these results relevant to assess the mineralization and economic potential of the property. The historical drill results obtained by SMDC in drill holes CKI-9 and CKI-10 can be found within the Saskatchewan Mineral Assessment Database references 74N07-0310 and 74N07-0311.

The technical and scientific information in this news release has been reviewed and approved by Dale Verran, M.Sc., P.Geo., Chief Executive Officer of the Company, who is a Qualified Person as defined by NI 43-101. Mr. Verran is an employee of Fortune Bay and is not independent of the Company under NI 43-101.

About Fortune Bay

<u>Fortune Bay Corp.</u> (TSXV:FOR, FWB: 5QN, OTCQX: FTBYF) is an exploration and development company with 100% ownership in two advanced gold exploration projects in Canada, Saskatchewan (Goldfields Project) and Mexico, Chiapas (Ixhuatán Project), both with exploration and development potential. The Company is also advancing the 100% owned Strike and Murmac uranium exploration projects, located near the Goldfields Project, which have high-grade potential typical of the Athabasca Basin. The Company has a goal of building a mid-tier exploration and development Company through the advancement of its existing projects and the strategic acquisition of new projects to create a pipeline of growth opportunities. The Company's corporate strategy is driven by a Board and Management team with a proven track record of discovery, project development and value creation. Further information on Fortune Bay and its assets can be found on the Company's website at www.fortunebaycorp.com or by contacting us as info@fortunebaycorp.com or by telephone at 902-334-1919.

On behalf of Fortune Bay Corp.

"Dale Verran" Chief Executive Officer 902-334-1919

Cautionary Statement Regarding Forward-Looking Information

Information set forth in this news release contains forward-looking statements that are based on assumptions as of the date of this news release. These statements reflect management's current estimates, beliefs, intentions, and expectations. They are not guarantees of future performance. Words such as "expects". "aims", "anticipates", "targets", "goals", "projects", "intends", "plans", "believes", "seeks", "estimates", "continues", "may", variations of such words, and similar expressions and references to future periods, are intended to identify such forward-looking statements. Fortune Bay Corp. ("Fortune Bay" or the "Company") cautions that all forward-looking statements are inherently uncertain, and that actual performance may be affected by a number of material factors, many of which are beyond Fortune Bay's control. Such factors include, among other things: risks and uncertainties relating to metal prices, changes in planned work resulting from weather, COVID-19 restrictions, availability of contractors, logistical, technical or other factors, the possibility that results of work will not fulfill expectations and realize the perceived potential of Fortune Bay's mineral properties, uncertainties involved in the interpretation of drilling results and other tests, the possibility that required permits may not be obtained in a timely manner or at all, risk of accidents, equipment breakdowns or other unanticipated difficulties or interruptions, the possibility of cost overruns or unanticipated expenses in work programs, the risk of environmental contamination or damage resulting from the exploration operations, the need to comply with environmental and governmental regulations and the lack of availability of necessary capital, which may not be available to Fortune Bay, acceptable to it or at all. Fortung Bayais subject to the specific risks inherent in the mining business as well as general economic and Diskingering wars wars wars wars wars wars wars and for the result of th https://www.rohstoff-walt.de/news/421444-Fortune-Bay-Intersects-Near-surface-Elevated-Radioactivity-In-Multipler-Drill-Holes-At-The-Murmac-the estimates, beliefs, intentions, and expectations expressed of implied in the forward-looking information. Exceptnastrequiredjundernapplicable/securities legislationg/fiortunenBaydundertakesteo-goligation:tocpublicly. update or he vise forward to Bkilde Information. Portune Bay does hot intende and does no fassume any Autors suggesting for ward to be ward to be any Autors of the vise forward to be ward to be the bay does hot intender and does no fassume any Autors of the second sec A www.ifortunebaycorp.com.

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Neither SXM enture Exchange norhts Regulation Services Providere (asEthat termsisudefinedrin policies of TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

SOURCE Fortune Bay Corp.