Update on Granada Gold Mine On-Site Sampling Plant

09.01.2025 | The Newswire

Granada Gold Mine Inc. (TSXV: GGM) (OTC: GBBFF) (Frankfurt: B6D) (the "Company" or "Granada") is pleased to provide an update on the progress of an on-site sampling plant. The potential installation of an on-site sampling plant is to further confirm the near-surface open pit resource from the two 500-tonne bulk samples recently taken which correlates well with historic open pit mining results of 3.5 to 5 grams per tonne gold. The current open pit resource of 2 grams per tonne (Please see July 6, 2022 news release) and was calculated by cutting all the high-grade sample assays due to fifty percent of the gold being in native form which lends to higher gold assays. The on-site sampling plant would further confirm the true grade of the open pit resource.

Bulk Sampling Plant Highlights:

- Two products will be produced, a high-grade native gold gravity concentrate and a high-grade sulfide gold concentrate. Sand by-product would be sold as aggregate.
- No chemicals will be used in the sampling plant. Any water usage will be closed-loop and recycled.
- Sampling plant daily average capacity would be rated at 550 tonnes per day.

Contractor Operator:

The Company has reviewed local mining contractors and project management companies for the mining and primary crushing. Final processing and gold bullion doré bar pours and gold sulfide concentrate to be done by third parties. The Company envisions minimal capital expenditures for equipment and infrastructure requirements.

Qualified person

The technical information in this news release was reviewed and approved by Matthew Halliday, P.Geo., Director of Granada Gold Mine Inc., and member of the Ordre des Géologues du Québec, who is a Qualified Person in accordance with National Instrument 43-101.

Mineral Resource Estimate

On August 22, 2022 the Company filed an updated NI 43-101 technical report supporting the resource estimate update for the Granada Gold project (Please see July 6, 2022 news release) reporting that the Granada deposit contains an updated mineral resource, at a base case cut-off grade of 0.55 g/t Au for pit constrained mineral resources within a conceptual pit shell and at a base case cut-off grade of 2.5 g/t for underground mineral resources within reasonably mineable volumes, of 543,000 ounces of gold (8,220,000 tonnes at an average grade of 2.05 g/t Au) in the Measured and Indicated category, and 456,000 ounces of gold (3,010,000 tonnes at an average grade of 4.71 g/t Au) in the Inferred category. Please see Table 1 below for full details. Report reference: Granada Gold Project Mineral Resource Estimate Update, Rouyn-Noranda, Quebec, Canada authored by Yann Camus, P.Eng. and Maxime Dupéré, B.Sc, P.Geo., SGS Canada Inc. dated August 20th, 2022 and with an effective date of June 23rd, 2022.

Table 1: Mineral Resource Estimate Showing Tonnes, Average Grade, and Gold Ounces

25.04.2025 Seite 1/3

Cut-Off

Classification Type Tonnes Au (g/t) Gold Ounces

(g/t Au)

0.55 / 2.5 Measured1 InPit+UG 4,900,000 1.70 269,000

Indicated InPit+UG 3,320,000 2.57 274,000

Measured & Indicated InPit+UG 8,220,000 2.05 543,000

Inferred InPit+UG 3,010,000 4.71 456,000

About Granada Gold Mine Inc.

Granada Gold Mine Inc. continues to develop and explore its 100% owned Granada Gold Property near Rouyn-Noranda, Quebec, and is adjacent to the prolific Cadillac Break. The Company owns 14.73 square kilometers of land in a combination of mining leases and claims. The Company is currently undergoing a large drill program with 20,000m out of 120,000m complete. The drills are currently paused to provide the technical team with the necessary time to evaluate, assimilate existing data and wait for improved market conditions.

The Granada Shear Zone and the South Shear Zone contain, based on historical detailed mapping as well as from current and historical drilling, up to twenty-two mineralized structures trending east-west over five and a half kilometers. Three of these structures were mined historically from four shafts and three open pits. Historical underground grades were 8 to 10 grams per tonne gold from two shafts down to 236 m and 498 m with open pit grades from 3.5 to 5 grams per tonne gold.

The property includes the former Granada Gold underground mine which produced more than 50,000 ounces of gold at 10 grams per tonne gold in the 1930's from two shafts before a fire destroyed the surface buildings. In the 1990s, Granada Resources extracted a bulk sample (Pit #1) of 87,311 tonnes grading 5.17 g/t Au. They also extracted a bulk sample (Pit # 2) of 22,095 tonnes grading 3.46 g/t Au.

For further information, Contact:

Frank J. Basa, P.Eng. member of Professional Engineers Ontario

Chief Executive Officer

P: 416-625-2342

Or:

Wayne Cheveldayoff,

Corporate Communications

P: 416-710-2410

E: waynecheveldayoff@gmail.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

25.04.2025 Seite 2/3

This news release may contain forward-looking statements which include, but are not limited to, comments that involve future events and conditions, which are subject to various risks and uncertainties. Except for statements of historical facts, comments that address resource potential, upcoming work programs, geological interpretations, receipt and security of mineral property titles, availability of funds, and others are forward-looking. Forward-looking statements are not guarantees of future performance and actual results may vary materially from those statements. General business conditions are factors that could cause actual results to vary materially from forward-looking statements. The Company does not undertake to update any forward-looking information in this news release or other communications unless required by law.

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:
https://www.rohstoff-welt.de/news/489039--Update-on-Granada-Gold-Mine-On-Site-Sampling-Plant.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

25.04.2025 Seite 3/3